



PRICE LIST 2024



VARIO ALKOVEN

SPECIFICATIONS - TECHNICS - OPTIONS - PRICES

VARIO STAR

COMFORT MOBILE 8 - 9 m.
Integrated motorhomes for two to four individuals.
Only 2.33 meters wide. On chassis up to 8.8 t.
Compact and highly manoeuvrable for a plus in
driving comfort. Single or double beds. Roof
increase in the tail for plenty of headroom in
the sleeping area.

THE 2-PERSON MOTORHOME

VARIO Star	page	04
Powerfull chassis	page	04 - 05
Technical Data	page	06
Prices	page	07
Floor plans	page	08 - 09
Equipment components	page	10 - 19

VARIO PERFECT

LUXURY MOBILE 8 - 12 m.
VARIO Perfect. VARIO Perfect Platinum.
Integrated motorhomes on truck and bus
chassis from 7.5 to 26 t.
Powerful chassis of Mercedes-Benz and
MAN, individual floor plans with up to four
slide outs and car garage as well as excep-
tional luxury are characteristic.

THE SPORTY LUXURY CLASS

VARIO Perfect	page	20 - 21
Powerfull chassis	page	22 - 23
Technical Data	page	24
Prices	page	25
Floor plans	page	26 - 29
Equipment components	page	30 - 47

VARIO ALKOVEN

FAMILY MOBILE 8 - 12 m.
Mobile home, which can accommodate
two separate sleeping areas with at least
four fixed beds. Chassis 7,5 to 26 t.
Different concepts for living areas guarantee
maximum comfort. The original-cab of the
chassis is maintained.

THE EXCLUSIVE ALCOVE


VARIO Alkoven	page	48 - 49
Powerfull chassis	page	50 - 51
Technical Data	page	52
Prices	page	53
Floor plans	page	54 - 55
Equipment components	page	56 - 69

VARIO SIGNATURE

EXCLUSIVE VEHICLE 10,5/12 m. 18/26 t.
The semi-integrated integrated one. Exclusive VARIO
body construction and characterful front / platform
of the XXL driver's cabin with variable seating order
for fourfold pilot and co-pilot feeling. Living room
with pull-down bed at full headroom, intelligent
360 ° all-round view system.

THE PROMINENT

VARIO Signature	page	70 - 71
Powerfull chassis	page	72 - 73
Technical Data	page	72 - 73
Prices	page	72 - 73
Floor plans	page	72 - 73
Equipment components	page	74 - 83





We build emotions.
Comfort packs for maximum safety.
Exclusive for discerning motorhome enthusiasts.

VARIO mobil

welcomes you.

In the belief that we coach-motorists discover new worlds with curiosity, courage and tolerance, each VARIOmobil is an exclusive unique with all modern conveniences. Custom built for you - for the best days of the year.

Your safety is our motive. With the introduction of the VARIO Perfect 1200 Platinum, the new model year begins. In the fine-tuning 2024, we have explored the entire range of technically possible options for you and built the very first motorhome with 4 slide outs.

A multitude of innovative safety and assistance systems are just as natural as the luxurious heating system and the rear garage in all 12-metre models.

Enjoy 100% PLANNING FREEDOM of floor plan, design and all equipment details. We are happy to realize your wishes with great attention to each detail and with more than 40 years experience in the automotive industry.

You are completely at home even when you are travelling in your exclusive motorhome

VARIO mobil



VARIO mobil

OS VM1200



The sporty and luxury VARIO Alkoven 1200 - MB Actros 2543 LLL

VARIO

ALKOVEN

THE FAMILY FRIENDLY OPTION

The VARIO Alcove, with separate sleeping spaces, is built on particularly powerful front-engine chassis from Mercedes-Benz and MAN, in lengths ranging from 8 to 12 meters.

In this design, the original driver's cabin of the chassis is retained, and the overlying alcove is utilized as an additional double bed. All-around storage compartments ensure remarkable loading capacities through optimal use of the available space.

Here, you will find the key basic data of the alcove motorhome at a glance.

VARIO Alkoven 800 - 850
MAN TGL 8.220 BL

VARIO Alkoven 900 - 950
MAN TGL 10.250 BL

VARIO Alkoven 950
MB Atego 1230 LL
MAN TGM 15.290 LL
MB Actros 1835 LL

VARIO Alkoven 1000
MB Atego 1330 LL

VARIO Alkoven 1050
MB Atego 1530 LL
MAN TGS 18.430 LL
MB Actros 1843 LL

VARIO Alkoven 1100
MB Actros 1843 LL
MAN TGS 18.430 LL

VARIO Alkoven 1200
MAN TGS 26.430 LLL
MB Actros 2543 LLL

Chassis	MAN TGL 8.220 BL / 10.220 BL	MAN TGL 8.250 BL / 10.250 BL	MAN TGM 15.290 LL
Wheelbase	3.900 / 4.200 mm	4.200 / 4.500 mm	5.075 mm
GVWR	8.800 (7.490) / 10.000 kg	8.880 / 10.000 kg	15.000 kg
Front axle load limit	4.000 kg	4.000 kg	6.300 kg
Rear axle load limit	5.600 / 6.800 kg	5.600 kg	11.000 kg
Engine	4-cylinder diesel engine, two phase turbo charging, intercooling and exhaust gas recirculation. particle filter with SCR catalyser	6-cylinder diesel engine, two phase turbo charging, intercooling and exhaust gas recirculation. particle filter with SCR catalyser	6-cylinder diesel engine, two phase turbo charging, intercooling and exhaust gas recirculation. particle filter with SCR catalyser
Displacement	4.580 ccm	6.871 ccm	6.871 ccm
Performance	162 kW / 220 PS, 2.300 rpm, EURO VI - E	184 kW / 250 PS at 2.200 rpm, EURO VI - E	213 kW / 290 PS, 2.200 rpm, EURO VI - E
Torque	850 Nm at 1.300 - 1.800 rpm	1.050 Nm at 1.200 - 1.600 rpm	1.150 Nm at 1.200 - 1.700 rpm
Brake system	electronic brake system BrakeMatic, ABS, engine brake, compressed air convection dryer, ASR + ESP, active emergency brake assist, Easy Start	electronic brake system BrakeMatic, ABS, engine brake, compressed air convection dryer, ASR + ESP, active emergency brake assist, Easy Start	electronic brake system BrakeMatic, ABS, engine brake, compressed air convection dryer, ASR + ESP, active emergency brake assist, Easy Start
Steering	servo, steering wheel adjustable	servo, steering wheel adjustable	servo, steering wheel adjustable
Suspension	FA boosted, parabolic spring RA air suspension stabilisers	FA boosted, parabolic spring RA air suspension stabilisers	rolling bellows air suspension at FA + RA, stabilisers (parallel suspension FA)
Tyres equipment	235 / 75 R 17,5	235 / 75 R 17,5	285 / 70 R 19,5 (single wheels 385 / 55 R 22,5)
Gear box	6-speed automatic transmission, TipMatic®	12-speed automatic transmission, TipMatic®	12-speed automatic transmission, TipMatic®
Fuel tank	180 l Diesel / 35 l AdBlue	180 l Diesel / 35 l AdBlue	300 l Diesel / 35 l AdBlue
Electrical system	24 V, 2 x 88 Ah batteries	24 V, 2 x 88 Ah batteries	24 V, 2 x 88 Ah batteries
Alternator	28 V / 120 A	28 V / 120 A	28 V / 120 A
Anti-theft device	steering lock with immobiliser	steering lock with immobiliser	steering lock with immobiliser
Miscellaneous	outside thermometer, cruise control, air condition drivers cab, multi function steering wheel, differential lock RA, lane guard assist, M+S snow tyres	outside thermometer, cruise control, air condition drivers cab, multi function steering wheel, differential lock RA, lane guard assist, M+S snow tyres	outside thermometer, cruise control, air condition drivers cab, multi function steering wheel, differential lock RA, lane guard assist, M+S snow tyres

MAN TGS 18.430 LL (four-wheeler) (TGS 26.430 LLL six-wheeler)	Mercedes-Benz Atego 1230 LL / 1330 LL / 1530 LL	Mercedes-Benz Actros 1843 LL (four-wheeler)	Mercedes-Benz Actros 2543 LLL (six-wheeler)
5.500 / 5.900 mm (5.500 + 1.350 mm)	4.760 / 5.360 / 5.560 mm	4.900 / 5.200 / 5.500 / 5.800 mm	5.500 + 1.350 mm
18.000 (26.000) kg	11.990 / 15.000 kg	18.000 kg	26.000 kg
7.500 kg	4.900 / 5.100 kg	8.000 kg	8.000 kg
11.500 kg (11.500 + 7.100 kg)	8.100 / 10.500 kg	11.500 kg	11.500 + 7.500 kg
6-cylinder diesel engine, two phase turbo charging, intercooling and exhaust gas recirculation. particle filter with SCR catalyser	6-cylinder diesel engine, one phase turbo charging, intercooling and exhaust gas recirculation. particle filter with SCR catalyser	6-cylinder diesel engine, turbo charging, intercooling and exhaust gas recirculation. particle filter with SCR catalyser	6-cylinder diesel engine, turbo charging, intercooling and exhaust gas recirculation. 9particle filter with SCR catalyser
12.419 ccm	7.698 ccm	10.700 ccm	10.700 ccm
316 kW / 430 PS, 1.800 rpm, EURO VI - E	220 kW / 299 PS, 2.200 rpm, EURO VI - E	315 kW / 428 PS, 1.800 rpm EURO VI - E	315 kW / 428 PS, 1.800 rpm EURO VI - E
2.200 Nm at 930 - 1.350 rpm	1.200 Nm at 1.200 - 1.600 rpm	2.100 Nm at 1.100 rpm	2.100 Nm at 1.100 rpm
electronic brake system BrakeMatic, ABS, engine brake, compressed air convection dryer, ASR + ESP, active emergency brake assist, Easy Start	electronic pneumatic brake system (EPB). ABS, ASR and ESP, compressed air convection dryer, High Performance Engine Brake, active brake assist	electronic pneumatic brake system (EPB). ABS, ASR and ESP, compressed air convection dryer, High Performance Engine Brake, active brake assist	electronic pneumatic brake system (EPB). ABS, ASR and ESP, compressed air convection dryer, High Performance Engine Brake, active brake assist
servo, steering wheel adjustable	servo, steering wheel adjustable	servo, steering wheel adjustable	servo, steering wheel adjustable
rolling bellows air suspension at FA + RA (FA + RA + TA), stabilisers	air suspension FA + RA stabilisers	air suspension FA + RA	air suspension FA + RA + trailing axle (TA)
355 / 50 R 22,5 315 / 60 R 22,5 (355 / 50 R 22,5)	285 / 70 R 19,5	355 / 50 R 22,5 315 / 60 R 22,5	355 / 50 R 22,5 315 / 60 R 22,5 / 355 / 50 R 22,5
12-speed automatic transmission, TipMatic®	8-speed automatic transmission, Mercedes-Benz Powershift 3	12-speed automatic transmission, Mercedes-Benz Powershift 3	12-speed automatic transmission, Mercedes-Benz Powershift 3
390 l Diesel / 60 l AdBlue	180 l Diesel / 25 l AdBlue	390 l Diesel / 60 l AdBlue	390 l Diesel / 60 l AdBlue
24 V, 2 x 175 Ah batteries	24 V, 2 x 100 Ah batteries	24 V, 2 x 170 Ah batteries	24 V, 2 x 170 Ah batteries
28 V / 120 A	28 V / 100 A	28 V / 100 A	28 V / 100 A
steering lock with immobiliser	steering lock with immobiliser	steering lock with immobiliser	steering lock with immobiliser
outside thermometer, cruise control, air condition drivers cab, multi function steering wheel, differential lock RA, lane guard assist, M+S snow tyres	outside thermometer, cruise control, air condition drivers cab, multi function steering wheel, differential lock RA, lane guard assist, M+S snow tyres	outside thermometer, cruise control, air condition drivers cab, multi function steering wheel, differential lock RA, lane guard assist, M+S snow tyres	outside thermometer, cruise control, air condition drivers cab, multi function steering wheel, differential lock RA, lane guard assist, M+S snow tyres

VARIO ALKOVEN

SPACE SAVER.
SEPARATE XXL SLEEPING.
DRIVER ASSISTANCE SYSTEMS SERIAL.

Please note the extensive standard equipment of our exclusive motorhomes ⁽³⁾. The basic vehicle price ⁽³⁾ of each VARIOmobil includes 100% individual construction, driver assistance and safety systems as well as many other high-quality details as standard.

The detailed chassis equipment can be found on the previous pages „Chassis“ as well as on the following pages „Standard equipment“.

Optional equipment (extras / accessories) increases the weight in working order and reduces the payload. For the weight of the extra equipment please refer to this brochure.

The specified maximum permissible number of persons is depending on weight and axle load. It can be reduced when extras are mounted (= optional equipment / accessories), so in favour of the payload individual seats can not be used. If all seats shall be used, the payload has to be reduced partially. It is not allowed to exceed the permissible maximum weight (GVWR) and the maximum axle loads.

The load-carrying capacity is reduced by installing special equipment (= extras / extra equipment) and accessories. Moreover, the load-carrying capacity not only depends on the weight in working order, the actual vehicle mass, the weight of the accessories and the GVWR, but also on the respective axle loads. Prerequisites for using the full vehicle-technically possible payload is a corresponding relation to the axle load distribution.

- * **Weight in working order means according to regulation (EU) Nr. 1230/2012:** unloaded weight including driver (75 kg), 90 % fuel, 100 % fresh water, 2 x 11 kg aluminium gas bottles, on board tool kit.
- ** **The payload according to regulation (EU) Nr. 1230/2012** results from the difference of the gross vehicle weight rating (GVWR) and the weight of the vehicle in working order including standard equipment.
- *** **The number of seats with seat belt is depending on floor-plans.** Parenthesised data = optional equipment.

Modell	Basis	Radstand	Technisch zulässige Gesamtmasse	Masse im fahrbereiten Zustand*	Zuladung** ca. (kg)	Gurt-Sitzplätze ***
		(mm)	(kg)	(kg)		
ALKOVEN 800	MAN TGL 8.220 BL	3.900	8.800 (7.490)	6.550	2.250 (940)	3 (4 / 5 / 6)
ALKOVEN 850	MAN TGL 8.220 BL	4.200	8.800 (7.490)	6.900	1.900 (590)	3 (4 / 5 / 6)
ALKOVEN 900	MAN TGL 10.250 BL	4.500	10.000	7.600	2.400	4 (5 / 6)
ALKOVEN 950	MAN TGL 10.250 BL	4.850	10.000	7.850	2.150	4 (5 / 6)
ALKOVEN 950	MB Atego 1230 LL	4.760	11.990	8.440	3.550	4 (5 / 6)
ALKOVEN 950	MAN TGM 15.290 LL	5.075	15.000	8.570	6.430	4 (5 / 6)
ALKOVEN 950	MB Actros 1835 LL	4900	18.000	11.540	6460	4 (5 / 6)
ALKOVEN 1000	MB Atego 1330 LL	5.360	15.000	9.090	5.910	4 (5 / 6)
ALKOVEN 1050	MB Atego 1530 LL	5.560	15.000	9.980	5.020	4 (5 / 6)
ALKOVEN 1050	MAN TGS 18.430 LL	5.500	18.000	12.900	5.100	4 (5 / 6)
ALKOVEN 1050	MB Actros 1843 LL	5.500	18.000	12.850	5.150	4 (5 / 6)
ALKOVEN 1100	MB Actros 1843 LL	5.800	18.000	14.920	3.080	4 (5 / 6)
ALKOVEN 1100	MAN TGS 18.430 LL	5.900	18.000	14.990	3.010	4 (5 / 6)
ALKOVEN 1200	MAN TGS 26.430 LLL	5.500 + 1.350	26.000	15.860	10.140	4 (5 / 6)
ALKOVEN 1200	MB Actros 2543 LLL	5.500 + 1.350	26.000	15.810	10.190	4 (5 / 6)

PRICES

All vehicle prices are quoted ex factory Bohmte in the context of manufacturing a new vehicle.
The declaration of weight is approximately data. Variations of +/- 5 % in the range of craft tolerance are possible and allowed.

(1) The total height depends on the dimension/height of the storage room / garage / car garage.

Modell	Basis	Länge	Breite ⁽¹⁾	Höhe ⁽²⁾	Frisch- wasser- tank	Ab- wasser- tank	Toiletten- tank	Fahrzeuggrundpreis netto	Fahrzeuggrundpreis inklusive 19 % MwSt ⁽³⁾
		(mm)	(mm)	(mm)	(Liter)	(Liter)	(Liter)	(EURO)	(EURO)
ALKOVEN 800	MAN TGL 8.220 BL	8.000	2.530	3.400	350	200	200	435.689,08	518.470,00
ALKOVEN 850	MAN TGL 8.220 BL	8.600	2.530	3.400	350	200	200	450.957,98	536.640,00
ALKOVEN 900	MAN TGL 10.250 BL	9.000	2.530	3.400	350	200	200	471.176,47	560.700,00
ALKOVEN 950	MAN TGL 10.250 BL	9.500	2.530	3.500	400	200	200	477.680,67	568.440,00
ALKOVEN 950	MB Atego 1230 LL	9.500	2.530	3.600	400	200	200	525.890,76	625.810,00
ALKOVEN 950	MAN TGM 15.290 LL	9.500	2.530	3.710	400	200	200	508.394,96	604.990,00
ALKOVEN 950	MB Actros 1835 LL	9.500	2.530	3.600	400	300	200	576.168,07	685.640,00
ALKOVEN 1000	MB Atego 1330 LL	10.000	2.530	3.650	450	350	250	555.957,98	661.590,00
ALKOVEN 1050	MB Atego 1530 LL	10.500	2.530	3.650	450	350	250	575.588,24	684.950,00
ALKOVEN 1050	MAN TGS 18.430 LL	10.500	2.550	3.900	450	350	250	641.663,87	763.580,00
ALKOVEN 1050	MB Actros 1843 LL	10.500	2.550	3.900	450	350	250	646.655,46	769.520,00
ALKOVEN 1100	MB Actros 1843 LL	11.000	2.550	3.900	500	350	250	685.865,55	816.180,00
ALKOVEN 1100	MAN TGS 18.430 LL	11.000	2.550	3.900	500	350	250	680.865,55	810.230,00
ALKOVEN 1200	MAN TGS 26.430 LLL	12.000	2.550	3.990	500	400	300	898.924,37	1.069.720,00
ALKOVEN 1200	MB Actros 2543 LLL	12.000	2.550	3.990	500	400	300	903.915,97	1.075.660,00

Alkoven 800	Alkoven 850 A	Alkoven 850 B single beds	Alkoven 900 H	Alkoven 950	Alkoven 950 A	Alkoven 950 A Slide Out	Alkoven 1000 A
-------------	---------------	------------------------------	---------------	-------------	---------------	----------------------------	----------------

VARIO ALKOVEN

100 % PLANNING FREEDOM in layout, equipment and design.
Experience more examples of individual interiors at www.vario-mobil.com.



A VARIOmobil is the completion of the more than four decades acquired expertise in the HIGH-END vehicle construction. Experience unique MANUFACTORY construction and 100% planning freedom in layout, equipment and design.

Each VARIO recreation vehicle is purpose built - manual work crafted with love to each detail. The mapped floor plans are only a little selection to inspire you to make it yours. The car symbol indicates that from 10 m vehicle length a passenger car can be taken on board.

Special requests do not exist for us, but wishes that we would like to implement to your satisfaction. We manufacture residential and business mobiles, 100% custom made and offer 100% choice in every configuration detail, harmoniously matched in function, quality and design.

FLOOR PLANS



Your VARIOmobil is equipped with **XXL storage capacities**. The very large rear garage is illuminated and lined with easy-care needle felt and can accommodate all the things you would like to take along on a long journey. **100 % CUSTOM MADE** means: each motor home and each car garage will be individually adjusted to your own customer car. Ask us! Additional types of passenger cars can be taken on board.

Please note!

The illustrations are possible floor plan ideas. Of course, we develop your individual layout on request. The ground plans above may be equipped with optional features.



Garage e.g. für Smart for two



Garage e.g. für Smart for two, Mini Cooper, Fiat 500 / Abarth 595, Fiat Panda 4x4, VW up



Garage e.g. für Mini-Cooper, Porsche 911. Boxter, BMW 1er, BMW Z 4, Mercedes-Benz A-Klasse, SL, AMG GT, SLC

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19 % German tax
Chassis MAN TGL / TGM												
S	MAN TGL 8.220 BL, 4 cylinder diesel engine with two-stage turbocharging, intercooling and exhaust gas recirculation. Diesel particulate filter with SCR catalytic converter, 4.580 ccm, 162 kW / 220 hp at 2.300 rpm EURO VI, 850 Nm at 1.300 - 1.800 rpm, electronic brake system BrakeMatic, ABS, engine brake, compressed air convection dryer. ASR + ESP, brake actuated by separate controlled rocker-arm facility (EVB), V-constant regulation, emergency brake assist, lane guard assistant, FA boosted, parabolic suspension, RA air suspension, stabilizers, 6-speed automatic transmission, TipMatic®, steering wheel lock with immobilizer		■	■								
O	C200 Engine variation MAN TGL 8.250, 6 cylinder diesel engine with two-stage turbocharging, intercooling and exhaust gas recirculation. Diesel particulate filter with SCR catalytic converter, 6.871 ccm, 184 kW / 250 hp at 2.200 rpm EURO VI, 1.050 Nm at 1.200 – 1.600 rpm	370	☐	☐							8.121,01	9.664,00
S	MAN TGL 10.250, 6 cylinder diesel engine with two-stage turbocharging, intercooling and exhaust gas recirculation. Diesel particulate filter with SCR catalytic converter, 6.871 ccm, 184 kW / 250 hp at 2.200 rpm EURO VI, 1.050 Nm 1.200 – 1.600 rpm				■	■						
S	MAN TGM 15.290 BL, 6-cylinder diesel engine with two-stage turbocharger, charge air cooling and exhaust gas recirculation. Particle filter with SCR catalytic converter, 6,871 ccm, 213 kW / 290 hp at 2,200 rpm EURO VI - E, 1,150 Nm at 1,200 - 1,700 rpm, BrakeMatic electronic brake system, ABS, engine brake, heated compressed air dryer. ASR + ESP, emergency brake assistant, easy start, lane departure warning, FA and RA rolling bellows air suspension, stabilizers, automated 12-speed gearbox, TipMatic®, steering wheel lock with immobilizer					■	■					
O	C202 Air suspension FA MAN TGL 8.220-10.250, body lifting system	50	☐	☐	☐	☐	☐				14.424,37	17.165,00
S	Diesel tank 180 l / 20 l AdBlue TGL		■	■	■	■	■					
S	Diesel tank 300 l / 20 l AdBlue TGM					■	■					
S	C214 Differential lock RA MAN TGL / TGM		■	■	■	■	■					
S	P2GC Leather multifunction steering wheel		■	■	■	■	■					
S	P1ZH high-beam assistant		■	■	■	■	■					
S	P1TF MAN Easy Start (starting aid and anti-roll device)		■	■	■	■	■					
S	P1U3 Emergency Brake Assist EBA		■	■	■	■	■					
S	P1TT Lane departure warning LDW		■	■	■	■	■					
S	P3L2 Instrument cluster Professional, 12,3" color display		■	■	■	■	■					
S	P2LZ MAN Mediasystem Navigation Professional 12.3" infotainment system with 12.3" monitor, truck navigation with online traffic, radio with FM / KW / MW / LW, digital radio DAB+, Bluetooth music streaming, hands-free functionality for two mobile phones, AUX IN / USB, speakers, antenna		■	■	■	■	■					
S	P1WR Central locking with remote control		■	■	■	■	■					
S	C875 Drivers- and co-drivers seat air suspended, lumbar support, shoulder adjustment, heating, seat covers in comfort quality		■	■	■	■	■					
S	P1TP Cruise control ACC, distance-controlled MAN TGL / TGM		■	■	■	■	■					
O	P2I7 Desert beige color ambience for cab / dashboard inside		☐	☐	☐	☐	☐				409,24	487,00
O	P2F5 Storage table on the passenger side	2	☐	☐	☐	☐	☐				686,55	817,00
O	P0OW Alloy rims ALCOA Dura Bright 6,75 x 17,5, 6-fold MAN TGL 8.220-10.250	-54	☐	☐	☐	☐	☐				3.201,68	3.810,00
O	P1ZO Front headlights + fog lights LED		☐	☐	☐	☐	☐				3.304,20	3.932,00
O	P1YG LED cornering light		☐	☐	☐	☐	☐				383,19	456,00
O	P2O2 Additional hot water heating 4 kW, cab (MAN TGL / TGM)	8	☐	☐	☐	☐	☐				2.081,51	2.477,00
O	P2FD Sunblind electric windscreen	6	☐	☐	☐	☐	☐				819,33	975,00
O	P2FG Sunblind door side windows, inside, mechanical, driver's- and co-driver's side	3	☐	☐	☐	☐	☐				341,18	406,00
O	P1UC Tire pressure monitoring system (TPM) MAN TGM	3				☐	☐				1.108,40	1.319,00
O	C880 Load variant TGL 10.220 for series 8.220		☐	☐							5.516,81	6.565,00
O	OP5DQ Digital mirror system MAN Optiview		☐	☐	☐	☐	☐				4.131,09	4.916,00

	Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19% German tax
Chassis MAN TGS													
S		MAN TGS 18.430 LL, two-axle chassis 6-cylinder diesel engine with two-stage turbocharging, intercooling and exhaust gas recirculation. Particle filter with SCR catalytic converter, 12,419 ccm, 316 kW / 430 hp at 1,800 rpm, EURO VI - E, 2,200 Nm at 930 - 1,350 rpm, electronic brake system, BrakeMatic, ABS, engine brake, heated compressed air dryer. ASR + ESP, Emergency brake assistant, Easy Start, lane departure warning, rolling bellows air suspension on FA + RA, stabilizers, automated 12-speed gearbox, TipMatic®, steering wheel lock with immobilizer							■	■			
S		MAN TGS 26.430 LLL, three-axle chassis with steered trailing axle (NLA) 6-cylinder diesel engine with two-stage turbocharging, intercooling and exhaust gas recirculation. Particle filter with SCR catalytic converter, 12,419 ccm, 316 kW / 430 hp at 1,800 rpm, EURO VI - E, 2,200 Nm at 930 - 1,350 rpm, Electronic brake system, BrakeMatic, ABS, engine brake, heated compressed air dryer, ASR + ESP, Emergency brake assistant, Easy Start, lane departure warning, rolling bellows air suspension on FA / RA / NLA, stabilizers, automated 12-speed gearbox, TipMatic®, steering wheel lock with immobilizer									■		
O	C878	Engine variant 375 kW / 510 hp, 2,600 Nm torque							□	□	□	7.836,97	9.326,00
S		390 l Diesel / 60 l AdBlue							■	■	■		
S	C246	Differential lock RA MAN TGS							■	■	■		
S	P2GC	Leather multifunction steering wheel							■	■	■		
S	P1TT	Lane Departure Warning LDW							■	■	■		
S	P1U3	Emergency Brake Assist EBA							■	■	■		
S	P3L2	Instrument cluster professional, 12.3" color display							■	■	■		
S	C875	Drivers- and co-drivers seat air suspended, lumbar support, shoulder adjustment, heating, seat covers in comfort quality							■	■	■		
S	C267	Automatic climate control in MAN TGS cab							■	■	■		
S	P2LZ	MAN media system navigation professional 12.3" infotainment system with 12.3" monitor, truck navigation with online traffic, radio with FM / KW / MW / LW, digital radio DAB+, Bluetooth music streaming, hands-free functionality for two mobile phones, AUX IN / USB, speakers, antenna							■	■	■		
S	P1WR	Central locking with remote control							■	■	■		
S	P1TQ	Cruise control ACC, distance-controlled MAN TGL / TGM							■	■	■		
O	P4FJ	Cruise control function MAN Efficient Cruise, regulated depending on the terrain							□	□	□	3.074,79	3.659,00
O	0P22	6 x aluminum wheels ALCOA Dura Bright 11.75 x 22.5" for front / 9" x 22.5", 4-fold for rear	-100						□	□		5.801,68	6.904,00
O	0P23	8 x aluminum wheels ALCOA Dura Bright 11.75 x 22.5" for FA / 9" x 22.5" RA, 11.75 x 22.5" NLA	-140							□		8.056,30	9.587,00
O	P1UC	Tire pressure monitoring system (TPM) MAN TGS	3						□	□	□	1.108,40	1.319,00
O	P5VT	Retarder MAN TGS	150						□	□	□	9.489,92	11.293,00
O	P1TV	Lane return assistant LRA MAN TGS							□	□	□	1.057,98	1.259,00
O	P5DI	Lane changing aid							□	□	□	4.584,87	5.456,00
O	P2I7	Desert beige color ambience for cab / dashboard inside							□	□	□	409,24	487,00
O	P2F5	Storage table on the passenger side	2						□	□	□	686,55	817,00
O	P2PY	Seat air conditioning for drivers- and co-drivers seat	6						□	□	□	2.243,70	2.670,00
O	P2O4	Additional water heating 6 kW, driver's cab	10						□	□	□	3.281,51	3.905,00
O	P1ZO	Front headlights + fog lights LED							□	□	□	3.304,20	3.932,00
O	P1YG	LED cornering light							□	□	□	383,19	456,00
O	P2FD	Sunblind electric windscreen	6						□	□	□	819,33	975,00
O	P2FG	Sunblind door side windows, inside, mechanical, driver's- and co-driver's side	3						□	□	□	341,18	406,00
O	OP5DQ	Digital mirror system MAN Optiview							□	□	□	4.131,09	4.916,00

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19 % German tax
Chassis Mercedes-Benz Atego												
S	MB Atego 1230 LL / 1330 LL / 1530 LL, 6-cylinder diesel engine with one-stage turbocharging, intercooling and exhaust gas recirculation. Particulate filter with SCR catalytic converter, 7.698 ccm, 220 kW / 299 hp at 2.200 rpm, EURO VI - E, 1.200 Nm 1.200 - 1.600 rpm, electropneumatic braking system (EPB) with ABS, ASR and ESP, compressed air convection dryer, high performance engine brake, emergency brake assist, lane guard assist, full air suspension FA and RA, stabilizers, 8-speed automatic transmission, Mercedes-Benz Powershift 3 steering wheel lock with immobilizer				■	■	■	■				
S	C113 Differential lock RA				■	■	■	■				
S	C918 Atego safety package: Lane Keeping Assist + Active Brake Assist (emergency braking assistant)				■	■	■	■				
S	CFBE Central locking system (driver's cab Atego Alkoven)				■	■	■	■				
S	CD6F Air condition driver's place MB Atego				■	■	■	■				
S	CJ2B MB CD radio Bluetooth, 24 V, FM tuner with RDS-EON, MW, LW, KW, CD-Player, mini USB front port, Aux front port, Bluetooth hands free speaking, 4 x 20 W, 4 x speakers, roof antenna, operation via steering wheel and directly on the device				■	■	■	■				
S	C852 Power windows at driver's- /co- driver's door (FE5) (Alkoven)				■	■	■	■				
S	Diesel tank 180 l / 25 l AdBlue				■	■	■	■				
O	C600 Diesel tank 290 l / 35 l AdBlue	130			☐	☐	☐	☐			2.121,01	2.524,00
S	CD0A Multifunctional steering wheel leather				■	■	■	■				
O	CR7K Alloy rims ALCOA DURA BRIGHT, 7,5 x 19,5", 6-fold, MB Atego 1230-1530	-60			☐	☐	☐	☐			4.210,08	5.010,00
O	C923 MB Atego 1330 load variant 13,5 t (5,1/9,3) for standard 1230					☐	■				5.276,47	6.279,00
O	C924 MB Atego 1530 load variant 15,0 t (5,1/10,5) for standard 1330						☐	■			5.276,47	6.279,00
S	CD1C Comfort drivers- and co-drivers swivelling seat (Alkoven)				■	■	■	■				
O	CD1D Comfort drivers- and co-drivers swivelling seat climate	8			☐	☐	☐	☐			2.006,72	2.388,00
O	CL1Y LED light package incl. white turn signal, LED daytime running light	2			☐	☐	☐	☐			556,30	662,00
O	CD4Z Sunblind, sidewise, driver's and passenger's side	3			☐	☐	☐	☐			372,27	443,00

Chassis Mercedes-Benz Actros												
S	MB Actros 1843 LL, fourwheel chassis 6 cylinder diesel engine with turbo charging, intercooling and exhaust gas recirculation. Diesel particulate filter with SCR catalytic converter, 10.700 ccm, 315 kW / 428 hp at 1.800 rpm EURO VI - E, 2.100 Nm at 1.100 rpm, electronic pneumatic brake system (EPB). ABS, ASR and ESP, compressed air convection dryer, high performance engine brake, active brake assist, lane guard assist, full air suspension FA and RA, 12-speed automatic transmission Mercedes-Benz PowerShift 3, steering lock with immobiliser							■	■	■		
S	MB Actros 2543 LLL, sixwheel chassis with steered trailing axle (TA) 6 cylinder diesel engine with turbo charging, intercooling and exhaust gas recirculation. Diesel particulate filter with SCR catalytic converter, 10.700 ccm, 315 kW / 428 hp at 1.800 rpm EURO VI, 2.100 Nm at 1.100 rpm, electronic pneumatic brake system (EPB). ABS, ASR and ESP, compressed air convection dryer, high performance engine brake, active brake assist, lane guard assist, full air suspension FA, RA and TA, 12-speed automatic transmission Mercedes-Benz PowerShift 3, steering lock with immobiliser									■		
O	C210 Engine variant MB Actros 1846 – 335 kW (455 hp), 10,7 l Motor, 2.200 Nm (for 1843)						☐	☐	☐		3.535,29	4.207,00
O	C211 Engine variant MB Actros 2553 – 390 kW (530 hp), 12,8 l Motor, 2.500 Nm (for 2543)	285								☐	15.536,13	18.488,00
O	C212 Engine variant MB Actros 1835 LL, two-axle chassis 6-cylinder diesel engine with turbocharging, intercooling and exhaust gas recirculation, particle filter with SCR catalytic converter, 7,698 ccm, 260 kW / 354 hp at 1,800 rpm EURO VI - E, 7, 7 l engine, 1,400 Nm at 1,200 - 1,600 rpm, electropneumatic brake system (EPB) with ABS, ASR and ESP, heated compressed air dryer, high performance engine brake, emergency brake assistant, lane departure warning system, air suspension on FA + HA, automated 8-speed gearbox Mercedes-Benz PowerShift 3, steering wheel lock with immobilizer (reduced price for MB Actros 1843 series)	-150					☐	☐	☐		-10.500,00	-12.495,00

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19% German tax
Chassis Mercedes-Benz Actros												
S	Differential lock RA						■	■	■	■		
S	Diesel tank 390 l / 60 l AdBlue						■	■	■	■		
S	CD6G Automatic climate control in the cockpit						■	■	■	■		
S	CCS1H Lane Keeping Assist + Active Brake Assist (Emergency Brake Assist)						■	■	■	■		
S	Cruise control						■	■	■	■		
S	CF8W Rain sensor						■	■	■	■		
S	CJ6C Multimedia cockpit, interactive with 12.3" touchscreen, incl. (CJ2E) FM Tuner with RDS-EON, MW, LW, KW, Mini USB / AUX front port, Bluetooth Hands-free kit, 2 x 20 W, 2 speakers, roof antenna, operation via steering wheel and directly on the device (CJ2U) Truck Navigation with dynamic route guidance under consideration of length/width/height and weight Life Traffic function for 27 countries (max. 3 years free) Bluetooth hands-free function (CS10) Traffic Sign Assistant (CJ2G) Digital Radio - DAB+						■	■	■	■		
S	CGOT MB Predictive Powertrain Control supports the adaptive cruise control with GPS data from the navigation system considering the topography						■	■	■	■		
S	C852 Power windows at driver's- /co- driver's door (FE5) (Alkoven)						■	■	■	■		
S	CCL1N LED daylight / turn light						■	■	■	■		
S	CD0A Multifunctional steering wheel leather						■	■	■	■		
S	CCS1L Distance Control Assist with Stop and Go function in combination with Active Brake Assist 5 - pedestrian detection						■	■	■	■		
O	CB3H Secondary water retarder	72					□	□	□	□	5.697,49	6.780,00
O	CD5E 6 x ALCOA Dura Bright aluminum wheels 11.75 x 22.5" front / 9" x 22.5" rear	-105					□	□	□		5.006,72	5.958,00
O	CD6E 8 x ALCOA Dura Bright aluminum wheels 11.75 x 22.5" front / 9" x 22.5" rear / 11.75 x 22.5" for TA	-140								□	6.792,44	8.083,00
O	C442 RUDMATIK Snow sling chain for drive axle	40					□	□	□	□	7.180,67	8.545,00
O	CCL1H Bi - Xenon-main light	8					□	□	□	□	2.256,30	2.685,00
S	CDIC Comfort drivers- and co-drivers swivelling seat (Alkoven)						■	■	■	■		
O	CD1D Comfort drivers- and co-drivers swivelling seat climate	8					□	□	□	□	2.006,72	2.388,00
O	CD2K Massage function driver's / co-driver's seat						□	□	□	□	1.941,18	2.310,00
O	CXXX Cab variant Actros Stream Space large capacity cab (Width 2.500 mm) instead of Actros compact cab (Width 2.300 mm) (necessary for 2nd row of seats in the cab)	200					□	□	□	□	27.170,59	32.333,00
O	CF6T Mirrorcam - camera-based mirror system						□	□	□	□	2.514,29	2.992,00
O	CS1J Active Drive Assist, semi-automated driving in all speed ranges with lateral and longitudinal intervention - the vehicle steers itself in the lane including electrohydraulic steering	10					□	□	□		5.962,18	7.095,00
O	CS1Y Tire pressure control Actros 1843	3					□	□	□		1.668,91	1.986,00
O	CS1Z Tire pressure control Actros 2543	3								□	2.319,33	2.760,00
O	CD7V Folding table dashboard passenger side	2					□	□	□	□	581,51	692,00
O	CD4Z Sunblind, sidewise, driver's and passenger's side	3					□	□	□	□	372,27	443,00
O	CD6N Actros hot water heating for cab and engine, 24V, 9kW (together with eE241)						□	□	□	□	5.636,97	6.708,00
O	CS1X Active Sideguard Assist, active turning assistant with emergency break in critical blind spot situations	3					□	□	□	□	5.180,67	6.165,00
O	CD5O "StyleLine" design Actros dashboard						□	□	□	□	1.167,23	1.389,00
O	CD6O "TrendLine" design Actros dashboard						□	□	□	□	1.167,23	1.389,00

☐ = Optional / O ■ = Standard / S
 ☒ = depending on the model

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19% German tax
CHASSIS (quod vide detailed chassis equipment)												
S	Electronic braking systems, stabilisers at front- and rear axles boosted		■	■	■	■	■	■	■	■		
S	Anti blocking system (ABS), ASR, ESP		■	■	■	■	■	■	■	■		
S	Stainless steel wheel covers all around		■	■	■	■	■	■	■	■		
S	M+S (winter-) tyres at all axles		■	■	■	■	■	■	■	■		
S	Multi function steering wheel, servo steering, steering column adjustable, outside thermometer		■	■	■	■	■	■	■	■		
S	Drivers cabin air-conditioned		■	■	■	■	■	■	■	■		
S	Cruise control		■	■	■	■	■	■	■	■		
S	Anti-theft device / electronic immobilizer		■	■	■	■	■	■	■	■		
S	Original-frame lowering device/-extension for huge towing capacity		■	■	■	■	■	■	■	■		
S	Under body wax coating at the frame, drivers platform raised, planar floor		■	■	■	■	■	■	■	■		
S	Driver's cab fixed, removable engine cover		■	■	■	■	■	■	■	■		
S	Outside mirror heatable		■	■	■	■	■	■	■	■		
S	Windshield laminated glass toned		■	■	■	■	■	■	■	■		
S	Electric Power windows		■	■	■	■	■	■	■	■		
S	Comfortable drivers- and co-drivers seat with integrated 3-point belt, head- and armrests, adjustable in height and inclination, seat surface extendable, pneumatic lumbar support, turnable, upholstered version		■	■	■	■	■	■	■	■		
S	LED- back lights		■	■	■	■	■	■	■	■		
O	C298 Dashboard covered with leather, bicolour design (MAN/MB Atego)	10	☐	☐	☐	☐	☐	☐	☐	☐	7.855,46	9.348,00
O	C299 Dashboard and center console covered with leather, bicolour design (MB Actros)	15			☐	☐	☐	☐	☐	☐	9.963,02	11.865,00
O	C311 Double air horn	4	☐	☐	☐	☐	☐	☐	☐	☐	705,88	840,00
O	C996 Compressed air connection in under storage room	2	☐	☐	☐	☐	☐	☐	☐	☐	633,61	754,00
O	D014 Splash guards (front / rear end)	8	☐	☐	☐	☐	☐	☐	☐	☐	1.021,01	1.215,00
O	E501 Twin video rear vision colour monitoring system, dust protection lid, 7" LCD colour screen, IR-LED/low distance camera	7	☐	☐	☐	☐	☐	☐	☐	☐	2.757,98	3.282,00
O	E504 Reverse drive warning system acoustic		☐	☐	☐	☐	☐	☐	☐	☐	200,00	238,00
O	E506 360° all-round view camera system with 10" monitor, 4 x HD cameras with a viewing angle of 180° (horizontal), individual images	6	☐	☐	☐	☐	☐	☐	☐	☐	6.569,75	7.818,00
O	R002 Hitch 3.500 kg for GVWR = 7.490 kg (only 3.000 kg if GVWR < 10.000 kg), outlet 12 V	20	☐	☐							2.884,03	3.432,00
O	R003 Hitch 3.500 kg for GVWR < 26.000 kg, outlet 12 V	30			☐	☐	☐	☐	☐	☐	3.736,97	4.447,00
O	R004 Hitch removable 3.000 kg, outlet 12 V	30					☐	☐	☐	☐	4.283,19	5.097,00
O	R005 Pin trailer hitch with continuous air brakes, trailer control unit, ABS / 24 V sockets, compressed air connections, trailer load up to 13.000 kg (depending on model)	180			☐	☐	☐	☐	☐	☐	11.504,20	13.690,00
O	R102 4 x hydraulic jacks for GVWR 6.000 - 9.500 kg, double effective cylinder, autolevel, additional manual emergency operating system	90	☐	☐	☐	☐					12.328,57	14.671,00
O	R103 4 x hydraulic jacks for GVWR 9.500 - 11.990 kg, double effective cylinder, autolevel, in case of need manual operation	120				☐					14.375,63	17.107,00
O	R104 4 x hydraulic jacks for GVWR 12.000 - 26.000 kg, double effective cylinder, in case of need manual operation	220					☐	☐	☐	■	19.644,54	23.377,00
O	R105 Load distribution plates (4) with loops 400 x 400 mm for hydraulic supports, loose	24				☐	☐	☐	☐	☐	310,08	369,00
O	R107 Stainless steel bracket support plates under rear storage compartment / side hatch	7	☐	☐	☐	☐	☐	☐	☐	☐	615,13	732,00

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19 % German tax
BODYWORK												
S	Full insulated self supporting body, Corner joint profiles without cold bridge		■	■	■	■	■	■	■	■		
S	Side wall outside: Aluminium planar steel plate and 40 mm PU-insulation		■	■	■	■						
OS	L001 GRP side walls with 40 mm PU-isolation	100	□	□	□	□	■	■	■	■	7.914,29	9.418,00
S	Aesthetically, aerodynamically glass fibre reinforced plastic (GRP), smooth transition between alcove, drivers cabin and side wall		■	■	■	■	■	■	■	■		
S	GRP sandwich-roof with 40 mm insulation, completely walkable. Roof outer surface GRP with tissue reinforcement and gelcoat surface, white, hail suspension as far as possible		■	■	■	■	■	■	■	■		
S	Roof railing aluminium, oval tube, painted		■	■	■	■	■	■	■	■		
S	Visible surfaces coated with velour / microfibre		■	■	■	■	■	■	■	■		
S	Safety belts / living room (depending on floorplan variation)		■	■	■	■	■	■	■	■		
S	Alcove „extra roomy“, outside height 900 - 950 mm (optional: 1.000 - 1.050 mm)		■	■	■	■	■	■	■	■		
S	Underframe construction galvanised steel profiles		■	■	■	■	■	■	■	■		
S	Underbody wax protection of the frame parts		■	■	■	■	■	■	■	■		
S	„Fold away“ alcove (= easy entry drivers cabin)		■	■	■	■	■	■	■	■		
S	Living room: DOMETIC hinged windows, double glazed, toned, with darkening- and mosquito blinds		■	■	■	■						
S	Electric entry door step outside, door contact controlled, internal entry steps		■	■	■	■	■					
S	Electric “double slide step” outside, push button controlled, internal entry steps							■	■	■		
S	Insulated double floor		■	■	■	■	■	■	■	■		
S	Underfloor storage rooms full insulated, lined with needled felt, heated, illuminated		■	■	■	■	■	■	■	■		
S	External flap system in Perfect design with glued and painted frame, rubber hinge strip, locks: 2-point twist lock		■	■	■	■	■	■	■	■		
S	One-key locking system for storage flaps and filler necks		■	■	■	■	■	■	■	■		
OS	S101 Hard glass sliding windows instead of plastic windows	90	□	□	□	□	■	■	■	■	9.305,88	11.074,00
S	2 x roof hoods with forced ventilation, darkening and mosquito blinds		■	■	■	■						
S	3 x roof hoods with forced ventilation, darkening and mosquito blinds						■	■	■	■		
O	S302 Roof hatch Fiamma with 12 V vent, forced ventilation, darkening blind	7	□	□	□	□	□	□	□	□	847,06	1.008,00
S	S600 Entrance door in composite construction with two point locking, 2.200 x 650 mm, electric lock as engine start, Easy to clean soft-touch interior trim in bi-color, mosquito door		■	■	■	■	■	■	■	■		
O	S603 Electric closing assistance entrance door		□	□	□	□	□	□	□	□	737,81	878,00
O	S608 Additional mechanical security lock entrance door together with eS600	1	□	□	□	□	□	□	□	□	768,07	914,00
O	E400 4 x LED tail light, white, countersunk in side wall, controlled via reverse gear	10	□	□	□	□	□	□	□	□	3.874,79	4.611,00
O	E402 LED back and flashing lights, grade up installed, additional flasher/brake lights	4	□	□	□	□	□	□	□	□	778,15	926,00
O	E408 LED outside light with motion detector and steady burning light circuitry, switch off system during travel	1	□	□	□	□	□	□	□	□	599,16	713,00
O	M003 Awning OMNISTOR 5 x 2,75 m, painted in vehicle colour, electric driven 230 V, remote control	52	□	□	□	□					4.110,08	4.891,00
O	M004 Awning OMNISTOR 6 x 2,75 m, painted in vehicle colour, electric driven 230 V, remote control	56		□	□	□	□	□	□	□	4.702,52	5.596,00
O	M110 LED-Stripe under awning, 12V, 7 W/m, 4000K, dimmable, continuous light strap, no dot display, cover in vehicle colour	2	□	□	□	□	□	□	□	□	1.424,37	1.695,00
O	S116 Real glass window unit on side walls, black, with flush-mounted hinged windows, fixed window in front of the entrance door VARIO Alkoven 800 - 1200	120					□	□	□	□	24.304,20	28.922,00
O	S500 Additional external flap for storage room at drivers side with gas props	30					□	□	□	□	4.585,71	5.457,00
O	S700 Central locking system for outside storage	15					□	□	□	□	3.162,18	3.763,00

	Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19 % German tax	
BODYWORK														
○/S	S800	Slide Out - hydraulic extendable oriel / drivers side, underframe storage rooms completely maintained, pneumatic seal system, surface heating for de-icing in winter, strengthened frame / chassis	400			☐	☐	☐	☐	☐	■	48.260,50	57.430,00	
○	S802	Slide Out - hydraulic extendable oriel / bed room with couch and wardrobe, pneumatic seal system, strengthened frame / chassis, surface heating system in roof and front sides	400								☐	☐	48.260,50	57.430,00
○	S803	Bed Slide Out - hydraulic extendable oriel / drivers side, underframe storage rooms completely maintained, pneumatic seal system, surface heating system in roof and front sides	300								☐	☐	39.235,29	46.690,00
INTERIOR														
S		Furniture construction: real wood veneer on both sides. Flaps / doors set off with real wood profiles. Door frames with solid wood profiles		■	■	■	■	■	■	■	■			
S		Hanging cupboards / living area all around and bed room with flaps and push-lock-mechanism		■	■	■	■	■	■	■	■			
S		Wardrobe with clothes rail, doors with 3-point lock		■	■	■	■	■	■	■	■			
S		Separation bathroom and sleeping area: insulated sliding doors in sandwich construction with lock and automatic adjustment		■	■	■	■	■	■	■	■			
S		Micro fibre upholstery (several colours)		■	■	■	■	■	■	■	■			
S		Energy saving LED spots countersunk in ceiling/hanging cupboards		■	■	■	■	■	■	■	■			
S		Carpet in living room area not fixed, removable		■	■	■	■	■	■	■	■			
S		Rear bed ventilated, with FROLI bed system, formfit cold foam mattress, 1.600 x 2.000 mm		■	■	■								
S		Rear bed ventilated, with FROLI bed system, formfit cold foam mattress, 1.700 x 2.000 mm					■	■	■	■	■			
S		Alcove bed 1.700 x 2.000 mm, MAN TGL / TGM, MB Atego		■	■	■	■							
S		Alcove bed 2.000 x 2.000 mm, MAN TGS, MB Actros						■	■	■	■			
S	F130	Interior: oak, precious real wood veneer - natural		■	■	■	■	■	■	■	■			
S	F131	Interior: beech damped, precious real wood veneer		■	■	■	■	■	■	■	■			
○	F132	Interior: knotty oak, precious real wood veneer - natural		☐	☐	☐	☐	☐	☐	☐	☐	4.507,56	5.364,00	
○	F133	Interior: knotty oak, precious real wood veneer - silver - brushed		☐	☐	☐	☐	☐	☐	☐	☐	9.214,28	10.965,00	
○	F134	Interior: Canadian maple, real wood veneer colour: natural, light / honey	15	☐	☐	☐	☐	☐	☐	☐	☐	4.892,44	5.822,00	
○	F136	Interior: American cherry, real wood veneer		☐	☐	☐	☐	☐	☐	☐	☐	9.214,28	10.965,00	
○	F137	Interior: American walnut, real wood veneer		☐	☐	☐	☐	☐	☐	☐	☐	17.398,32	20.704,00	
○	F138	Interior: American walnut, real wood veneer - nature / dark		☐	☐	☐	☐	☐	☐	☐	☐	12.899,16	15.350,00	
○	F161	Furniture construction bathroom sanding varnish white	50-100	☐	☐	☐	☐	☐	☐	☐	☐	3.382,35	4.025,00	
○	F162	Furniture bedroom grinding varnish white	100-150	☐	☐	☐	☐	☐	☐	☐	☐	4.248,47	5.056,00	
○	F163	Doors / flaps in white varnish	50	☐	☐	☐	☐	☐	☐	☐	☐	4.424,37	5.265,00	
○	F170	Furniture design „bentART“, curved flaps in precious wood veneer, cubic 30 mm side panels	35	☐	☐	☐	☐	☐	☐	☐	■	6.873,95	8.180,00	
○	F008	Furniture safe with electronic combination lock	8	☐	☐	☐	☐	☐	☐	☐	☐	434,45	517,00	
○	F016	Pull out cabinet with 5 x baskets, individual adjustable	20	☐	☐	☐	☐	☐	☐	☐	☐	2.352,94	2.800,00	
○	F018	Ceiling illumination, 6 x LED spots countersunk in ceiling, dimmer	2	☐	☐	☐	☐	☐	☐	☐	☐	1.821,00	2.167,00	
○	F050	Glass show case, illuminated, mirrored rear panel, drinking glasses display, top cabinet on existent cabinet	13	☐	☐	☐	☐	☐	☐	☐	☐	2.672,27	3.180,00	
○	F051	Glass show case, illuminated, mirrored rear panel, drinking glasses display	20							☐	☐	4.096,64	4.875,00	
○	F052	Drinking glasses set „VARIO“ for glass show case	1	☐	☐	☐	☐	☐	☐	☐	☐	243,70	290,00	
S		Living room couch substructure covered with wood, high quality upholstery		■	■	■	■	■	■	■	■			
○	F040	Extension in seating bench	8	☐	☐	☐	☐	☐	☐	☐	☐	449,58	535,00	

□ = Optional / O ■ = Standard / S
 ▣ = depending on the model

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19 % German tax
INTERIOR												
○ F400	Interior "blackLINE" (fittings, handles, tabs black)		□	□	□	□	□	□	□	□	3.670,59	4.368,00
○ N012	ALCANTARA® upholstery	10	□	□	□	□	□	□	□	□	4.726,89	5.625,00
○ N018	Wooden blinds living room / kitchen / bedroom / bath	20	□	□	□	□	□	□	□	□	3.060,50	3.642,00
○ N030	Granite entry stairs sideways / ceramics / porcelain stoneware	20				□	□	□	□	□	731,09	870,00
○ N031	Granite / ceramics / porcelain flooring in the passageway adjacent bathroom with 2 steps	60						□	□	□	2.321,01	2.762,00
○ N006	Leather upholstery living area	20	□	□	□	□	□	□	□	□	5.584,03	6.645,00
○ N042	Alcove with longitudinally arranged beds, shelf for additional convectors in the top of the Alcove, hanging cupboard co-drivers side / washroom wall, cabinet on driver's side under bed with extendable stair system, at the top 2 x pullout, cabinet on co-drivers side under bed with door and clothes rail, Alcove bed mattress 2 pcs.	50		□	□	□					5.825,21	6.932,00
KITCHEN												
S	Rubbish bin with cover, flush integrated in counter top		■	■	■	■	■	■	■	■		
S	Bar tray made of solid wood as splash guard function between kitchen and lounge		■	■	■	■	■	■	■	■		
S	Hanging cupboards with flaps, shelves and push-lock-mechanism		■	■	■	■	■	■	■	■		
S	Drawers and pull outs on roller bearing		■	■	■	■	■	■	■	■		
S	Outlets 2 x 230 V		■	■	■	■	■	■	■	■		
S F004	Kitchen counter top CORIAN® / STARON®		■	■	■	■	■	■	■	■		
○ F024	Kitchen rear panel CORIAN® / STARON®	10	□	□	□	□	□	□	□	□	980,67	1.167,00
S	3-flames high grade steel gas cooker with integrated glass cover, automatic ignition, countersunk in counter top		■	■	■	■	■	■	■	■		
○ P001	Induction cooktop, 2 burners, 230 V, touch screen	10	□	□	□	□	□	□	□	□	1.018,49	1.212,00
○ P008	Hybrid cooker with 1 x induction 230 V / 1.4 kw and 2 x gas cooker with electric ignition, glass surface black, flush in worktop	5	□	□	□	□	□	□	□	□	1.107,56	1.318,00
S	High grade steel sink countersunk in counter top, with cover		■	■	■	■	■	■	■	■		
○ P016	STARON sink, angular, flush	5	□	□	□	□	□	□	□	□	529,41	630,00
S	Single hand control tap, chrome		■	■	■	■	■	■	■	■		
S K008	195 l Compressor refrigerator Kissmann KT210, 151 liter refrigerator, 44-liter freezer, 12 V with integrated 230 V priority circuit				□	□	□	□	□	■	0,00	0,00
S K009	177 l refrigerator with AES, 35 l ice box, mounted behind trailing door						■	■	■			
S K004	177 l refrigerator with AES, 35 l ice box		■	■	■	■						
○ P007	Dish washer EXQUISIT, fully integrated	30		□	□	□	□	□	□	□	1.896,64	2.257,00
○ P014	Dish washer Fisher / Paykel, Toploader, fully integrated	38		□	□	□	□	□	□	□	2.847,90	3.389,00
○ P004	Microwave with integrated grill	17	□	□	□	□					1.410,08	1.678,00
○ P998	MIELE Microwave / hot air oven, 2.200 W	30			□	□	□	□	□	□	3.690,76	4.392,00
○ P010	Preparation for Espresso automat niched in furniture, extension, turn around system, 230 V outlet	5		□	□	□	□	□	□	□	956,30	1.138,00
○ P011	Espresso automat JURA 230 V	9		□	□	□	□	□	□	□	1.478,15	1.759,00
○ P006	Washing machine / dryer, washer 8 kg, dryer 4 kg, 230 V / 10 A in outside storage room	88					□	□	□	□	4.200,84	4.999,00
○ P009	Washing machine CANDY HOOVER, 3,5 kg, 230 V	55	□	□	□	□	□				3.094,12	3.682,00
S	Design flooring kitchen, very resistant object floor		■	■	■	■	■	■	■	■		
○ F042	Granite / ceramics / porcelain flooring kitchen	100			□	□	□	□	□	□	5.026,05	5.981,00

☐ = Optional / O ■ = Standard / S
 ☑ = depending on the model

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19 % German tax
BATH												
S	Inside area splash water-repellent, washable coated		■	■	■	■	■	■	■	■		
S	Washstand - floor cupboard with doors		■	■	■	■	■	■	■	■		
S	Mirrored cabinet, threepart mirror, shelves		■	■	■	■	■	■	■	■		
S	Separate shower with folding / sliding door, single hand control shower tap with water saving sprinkler, chrome		■	■	■	■	■	■	■	■		
S	Lots of bathroom accessories (soap dispenser, toothbrush mug, toilet paper holder, towel hook), 230 V socket		■	■	■	■	■	■	■	■		
S	Additional tray with chrome railing in shower CORIAN® / STARON®		■	■	■	■	■	■	■	■		
O	J000 Wash stand top mineral material STARON® pure white with countersunk washbasin pure white		■	■	■	■	■	■	■	■		
O	J002 CORIAN® / STARON® rear panel wash stand / toilet	10					☐	☐	☐	☐	1.809,24	2.153,00
O	J006 CORIAN® / STARON® bowl custom colors / special form	5	☐	☐	☐	☐	☐	☐	☐	☐	516,81	615,00
S	Separate shower with folding / sliding door, single hand control shower tap with water saving sprinkler, chrome		■	■	■	■	■	■	■	■		
S	Real glass quarter circle shower with single hand shower tap and water saving sprinkler chrome						■	■	■	■		
O/S	J040 Real glass quarter circle shower, together with bath version "extra roomy"	15	☐	☐	☐	■	■	■	■	■	2.574,79	3.064,00
O	J004 CORIAN® / STARON® quarter circle shower basin	10					☐	☐	☐	☐	2.462,18	2.930,00
O	J003 CORIAN® / STARON® wall covering in shower, console for mixing tap CORIAN® / STARON®	20	☐	☐	☐	☐	☐	☐	☐	☐	3.245,38	3.862,00
O	J032 Thermostatic mixing shower tap, chrome	1	☐	☐	☐	☐	☐	☐	☐	☐	295,80	352,00
S	Design flooring bath room, very resistant object floor		■	■	■	■	■	■	■	■		
O	J021 Granite / ceramics / porcelain stoneware flooring	100				☐	☐	☐	☐	☐	4.977,31	5.923,00
O	J042 JABSCO chopper-toilette, porcelain , 12 V	10	☐	☐	☐	☐	☐	☐	☐	☐	1.376,47	1.638,00
O	J060 Bathroom walls in concrete look	30	☐	☐	☐	☐	☐	☐	☐	☐	4.125,21	4.909,00
MULTIMEDIA / INTERNET												
O	E001 QLED flat screen TV 32", 230 V, remote control	30	☐	☐	☐	☐	☐	☐	☐	☐	3.725,21	4.433,00
O	E002 QLED flat screen TV 32", 12 V, remote control	20	☐	☐	☐	☐	☐	☐	☐	☐	3.055,46	3.636,00
O	E003 QLED flat screen TV 24", 12 V, remote control	15	☐	☐	☐	☐	☐	☐	☐	☐	2.322,69	2.764,00
O	E004 Satellite system CRYSTOP Autosat 2, 85 cm parabolic reflector, autolevel, control panel	30	☐	☐	☐	☐	☐	☐	☐	☐	4.671,43	5.559,00
O	E007 BlueRay-Player	3	☐	☐	☐	☐	☐	☐	☐	☐	659,66	785,00
O	E055 PIONEER radio system DAB + with CD, FM / AM UKW, MW, 4 x 50 W, 4 x speakers, roof antenna, blue tooth hands free speaking, iPod- / iPhone interface	4	☐	☐	☐	☐	☐	☐	☐	☐	1.788,23	2.128,00
O	E104 Audio- / video connection radio system with QLED flat screen	1	☐	☐	☐	☐	☐	☐	☐	☐	410,08	488,00
O	E117 Sound system with active subwoofer (4 x speakers + subwoofer)	10	☐	☐	☐	☐	☐	☐	☐	☐	1.356,30	1.614,00
O	E118 JEHNERT sound system with additional amplifier, 4 x 2-way speaker system flush with the furniture, bass reflex subwoofer, additional Bluetooth interface for music streaming via smartphone	5	☐	☐	☐	☐	☐	☐	☐	☐	4.092,44	4.870,00
O	E853 5G Router, 12 V, DUAL SIM-Slot, (5G / LTE / 3G), WIFI / GPS roof antenna	2	☐	☐	☐	☐	☐	☐	☐	☐	1.907,56	2.270,00

□ = Optional / O ■ = Standard / S
 ▣ = depending on the model

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19 % German tax
ELECTRICS												
S	230 V external connection with feed cable, FI personal protection device		■	■	■	■	■	■	■	■		
S	Battery monitor / ampere-hour meter for living area batteries		■	■	■	■	■	■	■	■		
S	Automatic shutdown of the on-board power supply in the event of battery undervoltage		■	■	■	■	■	■	■	■		
S	LCD VARIO control panel for monitoring the fresh / waste water, toilet tank and battery voltage of the vehicle / living area battery		■	■	■	■	■	■	■	■		
S	VARIO relay distributor with 230 V and 12 V fuse, gas / generator tank display, automatic switching from external / generator power		■	■	■	■	■	■	■	■		
S	Electrical lines laid in cable ducts for easy servicing, central electrical unit with control cabinet technology terminals		■	■	■	■	■	■	■	■		
S	Lighting with energy-saving LED spots, separate circuit		■	■	■	■	■	■	■	■		
S	Central main battery switch in the panel for all for all extraction points		■	■	■	■	■	■	■	■		
S	Mechanical main battery switch for starter batteries		■	■	■	■	■	■	■	■		
O	E605 Mechanical main battery switch for living area batteries		■	■	■	■	■	■	■	■		
S	Maintenance-free living area gel battery EXIDE Solar 1 x 12 V / 170 Ah, automatic battery charger 12 V / 35 A, microprocessor controlled with soft start and battery temperature sensor		■	■	■	■	■	■				
O	E200 Maintenance-free living area gel batteries EXIDE Solar 2 x 12 V / 170 Ah (340 Ah), automatic battery charger 12 V / 50 A, microprocessor-controlled with soft start and battery temperature sensor	70	□	□	□	□	□	□	■	■	1.524,37	1.814,00
O	E242 CTEK automatic charger 24 V / 4 A for starter batteries	2	□	□	□	□	□	□	□	□	655,46	780,00
O	E241 CTEK automatic charger 24 V / 14 A for starter batteries	4						□	□	□	814,28	969,00
O	E100 VARIO-CANBUS control with 7" touch monitor including smartphone control via WLAN in the vehicle, heating control, tank level display, battery capacity monitoring, inverter control, solar power display (only together with 5G / WLAN router, code E853)	5					□	□	□	□	4.749,58	5.652,00
O	E403 Floor lighting 4 x in the floor area, changeover switch	2	□	□	□	□	□	□	□	□	738,65	879,00
O	E651 ETA lighting bus control, light control modules, light circuits dimmable, programmable	6	□	□	□	□	□	□	□	□	5.410,08	6.438,00
O	E701 Indirect LED lighting kitchen worktop	1	□	□	□	□	□	□	□	□	384,03	457,00
O	E702 Indirect LED lighting vanity top and mirror cabinet	1	□	□	□	□	□	□	□	□	494,96	589,00
O	E703 Indirect LED lighting for head end of rear bed together with wooden panel and rear bed frame. Can be switched individually.	4	□	□	□	□	□	□	□	□	757,98	902,00
O	E704 Indirect LED lighting living room wall cupboards < 950	10	□	□	□	□					2.016,81	2.400,00
O	E705 Indirect LED lighting living room wall cupboards	20					□	□	□	□	3.432,77	4.085,00
S	Several outlets, 12 / 230 V		■	■	■	■	■	■	■	■		
O	E600 Outlet 230 V additional	1	□	□	□	□	□	□	□	□	173,11	206,00
O	E601 Outlet 12 V additional	1	□	□	□	□	□	□	□	□	173,11	206,00
O	E602 Double outlet 230 V in garage for e-bikes	1	□	□	□	□	□	□	□	□	173,11	206,00
O	E603 Outlet 24 V, switched over ignition, front windshield / toll device	1	□	□	□	□	□	□	□	□	196,64	234,00
O	E606 USB-C/A Power-double socket 5 V / 3,6 A	1	□	□	□	□	□	□	□	□	226,89	270,00
O	E609 Wireless Smartphone Charger, inductive charging of a smartphone, integrated invisibly in the furniture	1	□	□	□	□	□	□	□	□	365,55	435,00
O	E272 VICTRON Multi Plus 3000 charger / sine wave inverter combination, charging capacity 12 V / max. 120 A, external power connection adjustable from 4 - 16 A, sine wave inverter with 12 - 230 V / 3,000 VA, Touch GX 50 panel, including 2 x lithium -Battery LiPo 12.8 / 200 Ah tempered (total capacity 400 Ah)	30	□	□	□	□	□				12.401,68	14.758,00
O	E273 VICTRON Multi Plus 3000 charger / sine wave inverter combination, charging capacity 12 V / max. 120 A, external power connection adjustable from 4 - 16 A, sine wave inverter with 12 - 230 V / 3,000 VA, Touch GX 50 panel, including 2 x lithium -Battery LiPo 12.8 / 300 Ah tempered (total capacity 600 Ah)	40	□	□	□	□	□				14.794,11	17.605,00
O	E275 VICTRON Quattro 5000 charger / sine wave inverter - combination, charging capacity 12 V / max. 220 A, external power connection adjustable from 4 - 16 A, sine wave inverter with 12 - 230 V / 5,000 VA, Touch GX 50 panel, including 3 x lithium batteries LiPo 12.8 V / 300 Ah, tempered (total capacity 900 Ah)	150			□	□	□	□	□	□	20.970,59	24.955,00

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19% German tax
ELECTRICS												
○ E277	VICTRON Quattro 5000 charger / sine wave inverter - combination, charging capacity 12 V / max. 220 A, External power connection adjustable from 4 - 16 A, sine wave inverter with 12 - 230 V / 5000 VA, Touch GX 50 panel, including 4 x lithium batteries LiPo 12.8 V / 300 Ah, tempered (total capacity 1,200 Ah)	180					☐	☐	☐	☐	24.463,87	29.112,00
○ E278	VICTRON Quattro 5000 charger / sine inverter combination, loading capacity 12 V / max. 220 A, external power connection adjustable 4 – 16 A , sinus inverter with 12 – 230 VA / 5000 VA, GX 50 touch panel, 6 x lithium battery LiPo 12,8 V / 300 Ah, tempered (total capacity 1800 Ah)	260							☐	☐	31.428,57	37.400,00
○ E311	Charging current increase while driving up to 24 -> 14 V / 70 A, with 24 V chassis	2	☐	☐	☐	☐	☐	☐	☐	☐	768,91	915,00
○ E312	Charging current increase while driving up to 24 -> 14 V / 140 A, with 24 V chassis (MB Actros)	3			☐	☐	☐	☐	☐	☐	1.793,28	2.134,00
○ E313	Second power supply with FI circuit breaker 230 V / 16 A with switch circuit 1-2, CEE connection cable	5					☐	☐	☐	☐	2.781,51	3.310,00
SOLAR												
○ E233	Solar panels 380 W (total capacity), charge controller	35		☐	☐	☐	☐	☐	☐		3.653,78	4.348,00
○ E234	Solar panels 570 W (total capacity), charge controller	55		☐	☐	☐	☐	☐	☐	☐	5.725,21	6.813,00
○ E235	Solar panels 760 W (total capacity), charge controller	75			☐	☐	☐	☐	☐	☐	7.535,29	8.967,00
○ E237	Solar panels 1.140 W (total capacity), charge controller	110					☐	☐	☐	☐	11.792,44	14.033,00
○ E239	Solar panels 1.520 W (total capacity), charge controller	140					☐	☐	☐		14.130,25	16.815,00
○ E240	Solar panels 1.710 W (total capacity), charge controller	155					☐	☐	☐		15.300,00	18.207,00
GENERATOR												
○ G003	Fuel generator DOMETIC TEC 29, 2,6 kW (25°C), 230 V, 1 x cylinder, noise absorber box, operating panel, 30 l tank, fuel gauge	85	☐	☐	☐						9.868,91	11.744,00
○ G009	ONAN diesel generator, 4.8 kW (29°C), STAGE V, 230 V, 2,880 rpm, 2 x cylinder KUBOTA diesel engine, water-cooled, in soundproof box with integrated cooler/fan unit and exhaust system, control panel, generator in insulated external storage space assembled.	220			☐	☐	☐	☐	☐	☐	19.207,56	22.857,00
○ G020	Fuel cell EFOY pro 2800, 12 V / 125 W inclusive 10 l methanol fuel cartridge	22	☐	☐	☐	☐	☐	☐	☐	☐	request	
AIR CONDITION												
○ E902	Roof air conditioner DOMETIC FreshJet 3500, 230 V, cooling capacity 3,500 W, remote control	40	☐	☐	☐	☐	☐				4.324,37	5.146,00
○ E906	SPLIT air conditioning VARIO Cool, 230 V, cooling capacity approx. 1,900 W, evaporator integrated in furniture construction, compressor / underfloor condenser unit in stainless steel housing, remote control (bedroom)	75		☐	☐	☐	☐	☐	☐	☐	11.772,27	14.009,00
○ E907	SPLIT VARIO Cool Twin air conditioner, 230 V, cooling capacity approx. 3,600 W, evaporator integrated in furniture construction, twin compressor/condenser unit installed underfloor in stainless steel housing, remote control (living room)	100		☐	☐	☐	☐	☐	☐	☐	20.541,18	24.444,00
○ E908	Second evaporator for cooling the bedroom, remote control, second control with solenoid valves - only together with E 907 (Evaporators operated individually or together, whereby the power is shared - temperate climate zones)	20		☐	☐	☐	☐	☐			6.354,62	7.562,00
SCOOTER GARAGE / PASSENGER CAR GARAGE												
○ R201	THULE VELO slide, E-bike rack for 2 bicycles, extendable	23	☐	☐	☐	☐	☐	☐	☐	☐	1.202,52	1.431,00
○ R204	Installation scooter, included rack and ramp	20	☐	☐	☐	☐	☐	☐	☐	☐	1.889,92	2.249,00
○ X101	Rear flap for rear end garage, partial movable rear panel and rear bumper	150					☐	☐	☐	■	15.610,92	18.577,00
○ X102	Electrically operated sliding platform for small cars with automatic centering of the car on the platform, load capacity up to 1,000 kg (SMART)	250					☐	☐	☐	☐	22.978,99	27.345,00
○ X103	Electric sliding platform for automatic car retraction, load capacity approx. 1,300 kg (Mini, Fiat 500, Abarth 595, Toyota Aigo, VW up)	400						☐	☐	☐	29.820,17	35.486,00
○ X104	Hydraulic sliding platform for automatic car retraction, load capacity approx. 1,700 kg (Porsche, Mercedes-Benz)	580								☐	45.673,95	54.352,00
○ X105	Tailgate / car garage hydraulic operating and remote control, hiding inside hinges	70					☐	☐	☐	☐	14.144,54	16.832,00
○ X110	Mobile charging station for e-cars in the car garage, type 2 connection, 1.4 – 22 kW adjustable, 230 V socket (various connection plugs)	5					☐	☐	☐	☐	1.773,11	2.110,00

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19 % German tax
GAS												
S	Gas bottle box for 2 x 11 kg bottles, TRUMA DuoControl safety regulator with Duo C remote display and ice-ex		■	■	■	■	■	■	■			
S	Extension for 2 x 11 kg gas bottles (easy operating system)		■	■	■	■	■	■	■			
OS	B003 Gas tank 110 l ice-ex (80 % fillable), safety regulator, remote display, remote filling	100	□	□	□	▣	■	■	■		4.928,57	5.865,00
O	B005 Gas extraction valve under outside storage compartment	2	□	□	□	□	□	□	□		364,71	434,00
O	B006 Gas remote switch for gas bottle system	1	□	□	□	□	□	□	□		315,13	375,00
O	Z007 2 x bottles grey per 11 kg, filled	48	□	□	□	□	□	□	□		268,91	320,00
S	B011 Motorhome without gas system (no 116 l gas tank / gas cylinder box), therefore 160 l diesel tank in the heated underfloor storage space, emergency switching to vehicle diesel tank with 3-way valve (only together with H200 / H 201)							□	□	■	0,00	0,00

WATER SUPPLY												
S	Fresh water tank in the insulated and heated double floor, quick drain valve		■	■	■	■	■	■	■	■		
S	Fresh water tank, capacity 350 l		■	■	■							
S	Fresh water tank, capacity 400 l					■						
S	Fresh water tank, capacity 450 l						■	■				
S	Fresh water tank, capacity 500 l								■	■		
S	Grey water tank in the insulated and heated double floor, drain slide in the heated interior		■	■	■	■	■	■	■	■		
S	Grey water tank, capacity 200 l		■	■	■	■						
S	Grey water tank, capacity 300 l					■						
S	Grey water tank, volume 350 l						■	■	■			
S	Grey water tank, capacity 400 l									■		
S	Toilet tank in the insulated and heated double floor, emptying slide in the heated interior		■	■	■	■	■	■	■	■		
S	Toilet tank, capacity 200 l		■	■	■	■						
S	Toilet tank, capacity 250 l						■	■	■			
S	Toilet tank, capacity 300 l									■		
S	Water system with powerful pressure water pump 11 l/min and expansion tank		■	■	■	■	■	■	■	■		
S	Quick drain valves / entire water system (winter drain)		■	■	■	■	■	■	■	■		
S	Central disposal outlet with 3" bayonet connection for waste water/toilet tank		■	■	■	■	■	■	■	■		
S	Disposal hose, extendable, housed in a separate container		■	■	■	■	■	■	■	■		
S	Fresh water tank filling with GARDENA® - connection in storage compartment		■	■	■	■	■	■	■	■		
O	W002 Outside shower with mixer tap (cold / warm) in outside storage compartment	5	□	□	□	□	□	□	□	□	662,18	788,00
O	W104 City water connection with pressure reducer	2	□	□	□	□	□	□	□	□	854,62	1.017,00
O	W105 Water pump reinforced 19 l / min	2					□	□	□	□	472,27	562,00
O	W201 drinking water treatment plant	4	□	□	□	□	□	□	□	□	511,76	609,00
O	W202 SEAGULL - drinking water treatment plant	6	□	□	□	□	□	□	□	□	1.675,63	1.994,00
O	W400 Toilet tank flushing (connection between waste water / toilet tank with slider)	3	□	□	□	□	□	□	□	□	696,64	829,00
O	W401 Additional waste water hose 3" / 3 m with bayonet connection, container	6	□	□	□	□	□	□	□	□	256,30	305,00
O	W402 12 V macerator pump with bayonet connection, 12 V socket	10	□	□	□	□	□	□	□	□	2.449,58	2.915,00
O	W403 Collapsible hose set with bayonet connection 20 + 20 + 10 m, white, in transport box for macerator pump	10	□	□	□	□	□	□	□	□	517,65	616,00

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19 % German tax
HEATING												
S	„ALDE Compact 3030“ hot water gas central heating with wall convectors, additional windscreen heating and exterior storage space heating as well as integrated hot water boiler 10 l, heating output propane 5,500 W / butane 6,400 W, electric heating cartridge 230 V - 1,050 / 2,100 W, thermostatic control, engine heat exchanger		■	■	■	■	■	■	■			
S	H201 Hot water diesel heater SCHEER MH 10/17 blue efficiency Two-stage Blue efficiency, heating output 10,000 W / 17,000 W, low-temperature diesel heater with blue burner technology and automatic altitude correction adjustment up to an altitude of 3,000 m, combustion at approx. 1,450° C for maximum reduction of exhaust gases, 100% soot-free, efficiency approx. 93%, integrated plate heat exchanger for hot water preparation, 3-room control with separate room thermostats, wall convectors in all rooms, controlled underfloor heating in the living room / kitchen and bathroom, heating of the insulated underfloor storage rooms (except for the car garage), heating of the windscreen via convectors, electric heating element 230 V/1,000 -2,000 W, engine heat exchanger for heating while driving, separate 160 l diesel tank in heated underfloor storage compartment, fuel filler flap, emergency switchover to vehicle tank (2-way valve), no gas system	140					☐	☐	☐	■	30.257,98	36.007,00
O	H300 Hot water diesel heater SCHEER MH 10 Micro Blue burner efficiency, heating capacity 10.000 W, low temperature diesel heater with blue burner technology and automatic height adjustment to 3.000 m, burning at approx. 1.450 ° C for maximum reduction of exhaust gases, 100 % soot-free, efficiency approx. 90 %, integrated hot water preparation via plate heat exchanger, Hot water priority switching, wall convectors in all rooms, electric heating cartridge 230 V / 1.000 – 2.000 W, engine heat exchanger for heating while driving, Inverter 12 – 230 V / 500 W, Elimination of gas system, Fuel extraction from the chassis diesel tank, Emergency shutdown when the diesel tank is too low, Necessary: compressor refrigerator and induction cooker, enlarged solar system, lithium batteries, possibly larger diesel tank	0			☐	☐	☐	☐			6.389,92	7.604,00
S	Engine heat exchanger for heating the living area with waste heat from the engine		■	■	■	■	■	■	■	■		
S	Night time heating reduction can be set for a limited time		■	■	■	■	■	■	■	■		
O	H016 Towel dryer bathroom white, temperature controller	10	☐	☐	☐	☐	☐	☐	☐	☐	668,07	795,00
O	H017 Towel dryer bathroom chrome, temperature controller	10	☐	☐	☐	☐	☐	☐	☐	☐	920,17	1.095,00
O	H011 Bathroom heating with room thermostat, individual room control	15				☐	☐	☐	☐	■	2.725,21	3.243,00
O	H005 Floor heating system in living area with thermostatic steering in gangway and under bar table	25	☐	☐	☐	☐	☐	☐	☐	■	2.620,17	3.118,00
O	H004 Underfloor heating in the bathroom area	6	☐	☐	☐	☐	☐	☐	☐	■	1.628,57	1.938,00
O	H006 Bedroom heating with separate room thermostat, controllable	6	☐	☐	☐	☐	☐	☐	☐	■	947,90	1.128,00
O	H012 Bedroom heating with room thermostat, individual room control	15				☐	☐	☐	☐	■	2.725,21	3.243,00
O	H008 WEBASTO Thermo Top hot-water diesel heater in the ALDE heating circuit, additional heat output 5,000 W, thermostatic control (for winter operation)	10	☐	☐	☐	☐	☐				5.839,50	6.949,00
O	H009 WEBASTO Thermo Pro 90 hot water diesel heater integrated in the hot water heating circuit, heat output 9,000 / 7,200 W, modulating burner, thermostatic control (for winter operation)	15					☐	☐	☐		6.670,59	7.938,00
EXTERIOR DESIGN / PAINTWORK / EXTERIOR WALLS												
S	High-quality painting of the entire vehicle in 2-components - car paint uni white, roof gelcoat surface white		■	■	■	■	■	■	■	■		
S	Elegant color stripe design		■	■	■	■	■	■	■	■		
O	L014 Exterior „BlackLINE“, black rims (6)	0	☐	☐	☐	☐	☐	☐	☐		4.500,00	5.355,00
O	L015 Exterior „BlackLINE“, black rims (8)	0								☐	4.900,00	5.831,00
O	L016 Exterior „BlackLINE“, black painted exhaust tips, licence plate panel, light surrounds	0	☐	☐	☐	☐	☐	☐	☐	☐	600,00	714,00
O	L104 Painting metallic, two-layer coating with clear lacquer, Alkoven <950	40	☐	☐	☐						11.347,06	13.503,00
O	L105 Painting metallic, two-layer coating with clear lacquer, Alkoven ≥950	50				☐	☐	☐	☐	☐	14.148,74	16.837,00

☐ = Optional / O ■ = Standard / S
 ☑ = depending on the model

Code	Description	kg	800	850	900	950	1000	1050	1100	1200	Net price EURO	Price / EURO incl. 19 % German tax
MISCELLANEOUS												
S	Individual construction, compilation / sampling of the interior and the exterior design according to customer requirements		■	■	■	■	■	■	■	■		
S	100% custom build. Every VARIomobil is an exquisite one-off.		■	■	■	■	■	■	■	■		
O	Y000 Reduced to weight variant 7,490 kg in connection with fresh water tank valve „driving position“, 100 l fresh water tank (Deduct weight of fresh water tank filling > 100 l)	-100 to -250	☐	☐							805,04	958,00
O	Y001 TÜV inspection, EU certificate		☐	☐	☐	☐	☐	☐	☐	☐	945,38	1.125,00
O	Z001 Ultrasonic alarm system with door / storage compartment contacts, remote control	4	☐	☐	☐	☐	☐	☐	☐	☐	2.255,46	2.684,00
O	Z002 Code lock for front door / alarm system	1	☐	☐	☐	☐	☐	☐	☐	☐	947,90	1.128,00
O	Z003 Service package, 2 x 20 m GARDENA folding hose, Euro gas tank adapter, Euro gas bottle adapter	6	☐	☐	☐	☐	☐	☐	☐	☐	503,36	599,00
O	Z004 "K.O." - Gas warning device in the bedroom	1	☐	☐	☐	☐	☐	☐	☐	☐	431,09	513,00
O	Z014 Fire extinguisher 2 kg	3	☐	☐	☐	☐	☐	☐	☐	☐	232,77	277,00





VARIOMOBIL e VARIO Signature | Mercedes-Benz | Mercedes-Benz | Mercedes-Benz



VARIO

SIGNATURE

AS UNIQUE
AS A SIGNATURE

The partially-integrated integrated one.

The VARIO SIGNATURE is a characterful exclusive motorhome 10.5 and 12 m long. Based on Mercedes-Benz Actros chassis from 18 - 26 t, 2,55 m wide.


High-tech is comfortably packed here in exquisite PLATINUM craftsmanship.

The VARIO exclusive body construction and the distinctive front / cab of the XXL driver's cabin with transversely adjustable second row of seats for quadruple pilot and co-pilot feeling merge into an optical unit.

On top: the pneumatically-sealing living space Slide Out, a softly floating pull-down bed above the driver's cabin at full-height, as well as an intelligent 360° all-round vision system.

Equally self-evident the aerodynamic roof spoiler, sporty stainless steel tailpipes, extensive driver assistance systems (track assist, attention assistant, distance control, etc.) as well as the large car garage for a convertible and e-bikes.

This individually finished VARIO signature 1200 impresses with many other technical highlights: 25 m LED exterior lighting all around, impressive real glass window design elements, TV lift, large cabinet system in the luxurious bedroom, leather-covered door elements, etc. ...

Chassis	Mercedes-Benz Actros 1843 LL (four-wheeler)	Floor plan VARIO Signature 1050 Slide Out	Technical Data	Mercedes-Benz Actros 1843 LL (four-wheeler)
	(four-wheeler)			
Wheel base	5.500 mm	<p>4 x Fahrerhaussitze sind optional verfügbar. Die hinteren Piloten-Sitze können zur Mitte hin verschoben werden.</p>  <p>PKW-Garage e.g. for Smart for two, Toyota Aygo, Mini Cooper, Fiat 500 / Abarth 595, Fiat Panda 4x4, VW up</p>	Weight in working order*	12.710 kg
GVWR	18.000 kg		Payload** approx. (kg)	5.290 kg
Front axle limit	8.000 kg		Seats with seatbelt ***	4 (5 / 6)
Rear axle limit	11.500 kg		Length	10.500 mm
Engine	6-cylinder diesel engine, turbo charging, intercooling and exhaust gases recirculation, particle filter with SCR catalyser		Width ⁽¹⁾	2.550 mm
Displacement	10.700 ccm		Height ⁽²⁾	3.900 mm
Performance	315 kW / 428 HP, 1.800 rpm EURO VI - E		Fresh water tank	450 litre
Torque	2.100 Nm 1.100 rpm		Grey water tank	350 litre
Brake system	electronic pneumatic brake system (EPB), ABS, ASR and ESP, compressed air convection dryer, High Performance Engine Brake, emergency brake assist		Black water tank	250 litre
Steering	servo, steering wheel adjustable		Vehicle basic price (without tax)	714.831,93 EURO
Suspension	air suspension FA + RA		Vehicle basic price 19 % German tax included	850.650,00 EURO
Tyre equipment	355 / 50 R 22,5 / 315 / 60 R 22,5			
Gear box	12-speed automatic transmission, Power Shift 3			
Fuel tank capacity	390 l Diesel / 60 l AdBlue			
Electrical system	24 V, 170 Ah batteries			
Alternator	28 V / 100 A			
Anti theft device	steering lock with immobiliser			
Miscellaneous	outside thermometer, cruise control, multifunctional steerable wheel, automatic climate control, daytime running light, differential lock RA, lane assist, snow tyres			

All vehicle prices are quoted ex factory Bohmte in the context of manufacturing a new vehicle.

* **Weight in working order means according to regulation (EU) Nr. 1230/2012:** unloaded weight including driver (75 kg), 90 % fuel, 100 % fresh water, 2 x 11 kg aluminium gas bottles, on board tool kit.

** **The payload according to regulation (EU) Nr. 1230/2012** results from the difference of the gross vehicle weight rating (GVWR) and the weight of the vehicle in working order including standard equipment.

*** **The number of seats with seat belt is depending on floorplans.** Parenthesised data = optional equipment.

Optional equipment (extras / accessories) increases the weight in working order and reduces the payload. For the weight of the extra equipment please refer to this brochure.

The load-carrying capacity is reduced by installing special equipment (= extras / extra equipment) and accessories. Moreover, the load-carrying capacity not only depends on the weight in working order, the actual vehicle mass, the weight of the accessories and the GVWR, but also on the respective axle loads. Prerequisites for using the full vehicle-technically possible payload is a corresponding relation to the axle load distribution.

The declaration of weight is approximately data. Variations of +/- 5 % in the range of craft tolerance are possible and allowed.

⁽¹⁾ Total vehicle width 2.550 mm = body width 2.500 mm.

⁽²⁾ The total height depends on the dimension/ height of the storage room / garage / car garage.

Chassis	Mercedes-Benz Actros 2543 LLL (6x2) (six-wheeler)	Floor plan VARIO Signature 1200 Slide Out	Technical Data	Mercedes-Benz Actros 2543 LLL (six-wheeler)
Wheel base	5.500 + 1.350 mm	<p>4 x Fahrerhaussitze</p>  <p>PKW Garage e.g. for Mini-Cooper, Porsche 911, Boxster, BMW Z 4, Mercedes-Benz A-Klasse, SL</p>	Weight in working order*	16.230 kg
GVWR	26.000 kg		Payload** approx. (kg)	9.770 kg
Front axle limit	8.000 kg		Seats with seatbelt ***	4 (5 / 6 / 7 / 8)
Rear axle limit	11.500 + 7.500 kg		Length	12.000 mm
Engine	6-cylinder diesel engine, turbo charging, intercooling and exhaust gases recirculation, particle filter with SCR catalyser		Width ⁽¹⁾	2.550 mm
Displacement	10.700 ccm		Height ⁽²⁾	3.990 mm
Performance	315 kW / 428 PS 1.800 rpm, EURO VI		Fresh water tank	500 litre
Torque	2.100 Nm 1.100 rpm		Grey water tank	400 litre
Brake system	electronic pneumatic brake system (EPB), ABS, ASR and ESP, compressed air convection dryer, High Performance Engine Brake, emergency brake assist		Black water tank	350 litre
Steering	servo, steering wheel adjustable		Vehicle basic price (without tax)	959.109,24 EURO
Suspension	air suspension FA + RA + TA		Vehicle basic price 19 % German tax included	1.141.340,00 EURO
Tyre equipment	385 / 65 R 22,5 / 315 / 60 R 22,5			
Gear box	12-speed automatic transmission, Power Shift 3			
Fuel tank capacity	390 l Diesel / 60 l AdBlue			
Electrical system	24 V, 2 x 170 = 340 Ah batteries			
Alternator	28 V / 100 A			
Anti theft device	steering lock with immobiliser			
Miscellaneous	outside thermometer, cruise control, multifunctional steerable wheel, automatic climate control, daytime running light, differential lock RA, lane assist, snow tyres			



Code	Description	kg	1050	1200	Net price EURO	Price / EURO incl. 19 % German tax
Chassis Mercedes-Benz Actros 1843 LL / 2543 LLL						
S	MB Actros 1843 LL, fourwheel chassis 6 cylinder diesel engine with turbo charging, intercooling and exhaust gas recirculation. Diesel particulate filter with SCR catalytic converter, 10.700 ccm, 315 kW / 428 hp at 1.800 rpm EURO VI - E, 2.100 Nm at 1.100 rpm, electronic pneumatic brake system (EPB). ABS, ASR and ESP, compressed air convection dryer, high performance engine brake, active brake assist, lane guard assist, full air suspension FA and RA, 12-speed automatic transmission Mercedes-Benz PowerShift 3, steering lock with immobiliser		<input checked="" type="checkbox"/>			
S	MB Actros 2543 LLL, sixwheel chassis with steered trailing axle (TA) 6 cylinder diesel engine with turbo charging, intercooling and exhaust gas recirculation. Diesel particulate filter with SCR catalytic converter, 10.700 ccm, 315 kW / 428 hp at 1.800 rpm EURO VI, 2.100 Nm at 1.100 rpm, electronic pneumatic brake system (EPB). ABS, ASR and ESP, compressed air convection dryer, high performance engine brake, active brake assist, lane guard assist, full air suspension FA, RA and TA, 12-speed automatic transmission Mercedes-Benz PowerShift 3, steering lock with immobiliser			<input checked="" type="checkbox"/>		
O	C210 Engine variant MB Actros 1846 – 335 kW (455 hp), 10,7 l Motor, 2.200 Nm (for 1843)		<input type="checkbox"/>	<input type="checkbox"/>	3.535,29	4.207,00
O	C211 Engine variant MB Actros 2553 – 390 kW (530 hp), 12,8 l Motor, 2.500 Nm (for 2543)	285	<input type="checkbox"/>	<input type="checkbox"/>	15.536,13	18.488,00
S	Differential lock RA		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	Diesel tank 390 l / 60 l AdBlue		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	CD6G Automatic climate control in the cockpit		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	CCS1H Lane Keeping Assist + Active Brake Assist (Emergency Brake Assist)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	Cruise control		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	Outside temperature display		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	Anti theft device / electronic immobilizer		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	CD0A Multifunctional steering wheel leather		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	CCL1N LED daylight / turn light		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	CJ6C Multimedia cockpit, interactive with 12.3" touchscreen, incl. (CJ2E) FM Tuner with RDS-EON, MW, LW, KW, Mini USB / AUX front port, Bluetooth Hands-free kit, 2 x 20 W, 2 speakers, roof antenna, operation via steering wheel and directly on the device (CJ2U) Truck Navigation with dynamic route guidance under consideration of length/width/height and weight Life Traffic function for 27 countries (max. 3 years free) Bluetooth hands-free function (CS10) Traffic Sign Assistant (CJ2G) Digital Radio - DAB+		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	CGOT MB Predictive Powertrain Control supports the adaptive cruise control with GPS data from the navigation system considering the topography		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	C852 Power windows at driver's- /co- driver's door (FE5) (Alkoven)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	Tinted windshield		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	CDIC Comfort drivers- and co-drivers swivelling seat (Alkoven)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	CCS1L Distance Control Assist with Stop and Go function in combination with Active Brake Assist 5 - pedestrian detection		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
O	CB3H Secondary water retarder	72	<input type="checkbox"/>	<input type="checkbox"/>	5.697,49	6.780,00
O	CD5E 6 x ALCOA Dura Bright aluminum wheels 11.75 x 22.5" front / 9" x 22.5" rear	-105	<input type="checkbox"/>		5.006,72	5.958,00
O	CD6E 8 x ALCOA Dura Bright aluminum wheels 11.75 x 22.5" front / 9" x 22.5" rear / 11.75 x 22.5" for TA	-140		<input type="checkbox"/>	6.792,44	8.083,00
O	CS1Y Tire pressure control Actros 1843	3	<input type="checkbox"/>		1.668,91	1.986,00
O	CS1Z Tire pressure control Actros 2543	3		<input type="checkbox"/>	2.319,33	2.760,00
O	C442 RUDMATIK Snow sling chain for drive axle	40	<input type="checkbox"/>	<input type="checkbox"/>	7.180,67	8.545,00
O	CCL1H Bi - Xenon-main light	8	<input type="checkbox"/>	<input type="checkbox"/>	2.256,30	2.685,00
O	CD1D Comfort drivers- and co-drivers swivelling seat climate	8	<input type="checkbox"/>	<input type="checkbox"/>	2.006,72	2.388,00
O	CD2K Massage function driver's / co-driver's seat		<input type="checkbox"/>	<input type="checkbox"/>	1.941,18	2.310,00

Code	Description	kg	1050	1200	Net price EURO	Price / EURO incl. 19 % German tax
<input type="checkbox"/> CF6T	MirrorCam - camera-based mirror system		<input type="checkbox"/>	<input type="checkbox"/>	2.514,29	2.992,00
<input type="checkbox"/> CS1J	Active Drive Assist, semi-automated driving in all speed ranges with lateral and longitudinal intervention - the vehicle steers itself in the lane including electrohydraulic steering	10	<input type="checkbox"/>		5.962,18	7.095,00
<input type="checkbox"/> CD7V	Folding table dashboard passenger side	2	<input type="checkbox"/>	<input type="checkbox"/>	581,51	692,00
<input type="checkbox"/> CD4Z	Sunblind, sidewise, driver's and passenger's side	3	<input type="checkbox"/>	<input type="checkbox"/>	372,27	443,00
<input type="checkbox"/> CD6N	Actros hot water heating for cab and engine, 24 V, 9 kW (together with eE241)	0	<input type="checkbox"/>	<input type="checkbox"/>	5.636,97	6.708,00
<input type="checkbox"/> CS1X	Active Sideguard Assist, active turning assistant with emergency break in critical blind spot situations	3	<input type="checkbox"/>	<input type="checkbox"/>	5.180,67	6.165,00
<input type="checkbox"/> CD50	"StyleLine" design Actros dashboard		<input type="checkbox"/>	<input type="checkbox"/>	1.167,23	1.389,00
<input type="checkbox"/> CD60	"TrendLine" design Actros dashboard		<input type="checkbox"/>	<input type="checkbox"/>	1.167,23	1.389,00
CHASSIS (quod vide detailed chassis equipment)						
<input type="checkbox"/> S	Engine compartment with additional sound absorption		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/> S	Electronic braking systems, stabilisers at front- and rear axles boosted		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/> S	Anti blocking system (ABS), ASR, ESP		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/> S	Stainless steel wheel covers all around		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/> S	M+S winter tyres at all axles		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/> S	Drivers cabin air-conditioned		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/> S	Original-frame lowering device/-extension for huge towing capacity		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/> S	Under body wax coating at the frame, drivers platform raised, planar floor		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/> S	Driver's cab fixed, removable engine cover		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/> S	Outside mirror heatable		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/> S	2 x rear fog lights, 2 x rear lights, LED taillights		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/> D014	Splash guards (front / rear end)	8	<input type="checkbox"/>	<input type="checkbox"/>	1.021,01	1.215,00
<input type="checkbox"/> C296	Repaint parts of the dashboard, colour: leather seats		<input type="checkbox"/>	<input type="checkbox"/>	521,01	620,00
<input type="checkbox"/> C299	Dashboard and center console covered with leather, bicolour design (MB Actros)	15	<input type="checkbox"/>	<input type="checkbox"/>	9.963,02	11.865,00
<input type="checkbox"/> E501	Twin video rear vision colour monitoring system, dust protection lid, 7" LCD colour screen, IR-LED/low distance camera	7	<input type="checkbox"/>	<input type="checkbox"/>	2.757,98	3.282,00
<input type="checkbox"/> E504	Reverse drive warning system acoustic		<input type="checkbox"/>	<input type="checkbox"/>	200,00	238,00
<input type="checkbox"/> E506	360° all-round view camera system with 10" monitor, 4 x HD cameras with a viewing angle of 180° (horizontal), individual images	6	<input type="checkbox"/>	<input type="checkbox"/>	6.569,75	7.818,00
<input type="checkbox"/> C311	Double air horn	4	<input type="checkbox"/>	<input type="checkbox"/>	705,88	840,00
<input type="checkbox"/> C996	Compressed air connection in under storage room	2	<input type="checkbox"/>	<input type="checkbox"/>	633,61	754,00
<input type="checkbox"/> R003	Hitch 3.500 kg for GVWR < 26.000 kg, outlet 12 V	30	<input type="checkbox"/>	<input type="checkbox"/>	3.736,97	4.447,00
<input type="checkbox"/> R005	Pin trailer hitch with continuous air brakes, trailer control unit, ABS / 24 V sockets, compressed air connections, trailer load up to 13,000 kg (depending on model)	180	<input type="checkbox"/>	<input type="checkbox"/>	11.504,20	13.690,00
<input type="checkbox"/> R104	4 x hydraulic jacks for GVWR 12.000 - 26.000 kg, double effective cylinder, in case of need manual operation	220	<input type="checkbox"/>	<input checked="" type="checkbox"/>	19.644,54	23.377,00
<input type="checkbox"/> R105	Load distribution plates (4) with loops 400 x 400 mm for hydraulic supports, loose	24	<input type="checkbox"/>	<input type="checkbox"/>	310,08	369,00
<input type="checkbox"/> R107	Stainless steel bracket support plates under rear storage compartment / side hatch	7	<input type="checkbox"/>	<input type="checkbox"/>	615,13	732,00

Code		Description	kg	1050	1200	Net price EURO	Price / EURO incl. 19 % German tax
BODYWORK							
S		Full insulated self supporting body, Corner joint profiles without cold bridge		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		GRP side walls with 40 mm PU-isolation		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Aesthetically, aerodynamically glass fibre reinforced plastic (GRP), smooth transition between alcove, drivers cabin and side wall		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		GRP sandwich-roof with 40 mm insulation, completely walkable. Roof outer surface GRP with tissue reinforcement and gelcoat surface, white, il suspension as far as possible		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Side roof spoiler on the driver's side and front passenger side with integrated awning Thule 9200 6.00 m x 3.00 m, electrically operated 230 V, on the passenger side		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Rear roof spoiler „Lambo“, integrated reversing camera (option), LED-LINE brake, tail and turn lights right / left		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Rear bumper „Lambo“, LED-LINE rear lights, design covers right / left in matt black rear diffuser		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Real glass window elements on side walls and rear wall, black, with flush-mounted recess windows, fixed-glazed window in front of entrance door		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Underframe construction galvanised steel profiles		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Underbody wax protection of the frame parts		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Visually continuous window unit, hinged windows, fitted glass elements between the windows and to the vehicle rear wall		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Visible surfaces coated with velour / microfibre		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Safety belts / living room (depending on floorplan variation)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Electric “double slide step” outside, push button controlled, internal entry steps		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Insulated raised floor in connection with additional outside storage compartment		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Underfloor storage rooms full insulated, lined with needled felt, heated, illuminated		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Outside flaps in omnibus construction, full insulated, 2-point turning lock bolt, gas pressure put-up props for flaps		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		One-key locking system for storage flaps and filler necks		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
O	F000	Electrically operated pull-down bed with cold foam mattress 1.500 mm x 2.000 mm, FROLI sleeping bag system, in the driver's cab, aperture with MB switch instead of the interference boxes (mounting option for monitors) velour wall covering, microfiber ceiling covering, insulated walls from B-pillar to construction	125	<input type="checkbox"/>	<input type="checkbox"/>	32.697,48	38.910,00
S		2 x roof hoods with forced ventilation, darkening and mosquito blinds		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
O	S302	Roof hatch THULE with 12 V vent, forced ventilation, darkening blind	7	<input type="checkbox"/>	<input type="checkbox"/>	847,06	1.008,00
S	S600	Entrance door in composite construction with two point locking, 2.200 x 650 mm, electric lock as engine start, easy to clean soft-touch interior trim in bi-color, mosquito door		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
O	S603	Electric closing assistance entrance door	1	<input type="checkbox"/>	<input type="checkbox"/>	737,81	878,00
O	S607	Interior door trim in leather, color: like upholstery	4	<input type="checkbox"/>	<input type="checkbox"/>	678,99	808,00
O	S608	Additional mechanical security lock entrance door together with eS600	1	<input type="checkbox"/>	<input type="checkbox"/>	768,07	914,00
O	E408	LED outside light with motion detector and steady burning light circuitry, switch off system during travel	1	<input type="checkbox"/>	<input type="checkbox"/>	599,16	713,00
O	E400	4 x LED tail light, white, countersunk in side wall, controlled via reverse gear	10	<input type="checkbox"/>	<input type="checkbox"/>	3.874,79	4.611,00
O	S500	Additional external flap for storage room at drivers side with gas props	30	<input type="checkbox"/>	<input type="checkbox"/>	4.585,71	5.457,00
O	S700	Central locking system for outside storage	15	<input type="checkbox"/>	<input type="checkbox"/>	3.162,18	3.763,00

	Code	Description	kg	1050	1200	Net price EURO	Price / EURO incl. 19 % German tax
BODYWORK							
○ S	S800	Slide Out - hydraulic extendable oriel / drivers side, underframe storage rooms completely maintained, pneumatic seal system, surface heating for de-icing in winter, strengthened frame / chassis	400	☐	■	48.260,50	57.430,00
○	S802	Slide Out - hydraulic extendable oriel / bed room with couch and wardrobe, pneumatic seal system, strengthened frame / chassis, surface heating system in roof and front sides	400		☐	48.260,50	57.430,00
○	S803	Bed Slide Out - hydraulic extendable oriel / drivers side, underframe storage rooms completely maintained, pneumatic seal system, surface heating system in roof and front sides	300		☐	39.235,29	46.690,00
INTERIOR							
S	F130	Interior in fine wood veneer oak - natural		■	■		
S	F131	Interior in fine wood veneer beach- color subdued		■	■		
○	F132	Interior in fine wood veneer „knotty oak“ - natural		☐	☐	4.507,56	5.364,00
○	F133	Interior in fine wood veneer „knotty oak“ - silver, brushed		☐	☐	9.214,28	10.965,00
○	F134	Interior in fine wood veneer Canadian maple - light	15	☐	☐	4.892,44	5.822,00
○	F135	Interior in fine wood veneer Canadian maple - honey	15	☐	☐	4.892,44	5.822,00
○	F136	Interior in fine wood veneer American cherry tree		☐	☐	9.214,28	10.965,00
○	F137	Interior in fine wood veneer American walnut - light		☐	☐	17.398,32	20.704,00
○	F138	Interior in fine wood veneer American walnut - natural		☐	☐	12.899,16	15.350,00
○	F139	Interior in fine wood veneer American walnut - dark		☐	☐	12.899,16	15.350,00
○	F163	Doors / flaps in white varnish	50	☐	☐	4.424,37	5.265,00
S	F170	Furniture design „bentART“, curved flaps in precious wood veneer, cubic 30 mm side panels		■	■		
S		Hanging cupboards / living area all around and bed room with flaps and push-lock-mechanism		■	■		
S		Wardrobe with clothes rail, doors with 3-point lock		■	■		
S		Rear bed individually customized		■	■		
S		Carpet in living room area not fixed, removable		■	■		
S		Energy saving LED spots countersunk in ceiling/hanging cupboards		■	■		
S		Micro fibre upholstery (several colours)		■	■		
S		Living room seating bench / dinette with padding, high quality upholstery fabric		■	■		
○	F008	Furniture safe with electronic combination lock	8	☐	☐	434,45	517,00
○	F016	2-piece pull out cabinet with 6 x baskets	20	☐	☐	2.352,94	2.800,00
○	F050	Glass show case, illuminated, mirrored rear panel, drinking glasses display, top cabinet on existent cabinet	13	☐	☐	2.672,27	3.180,00
○	F052	Drinking glasses set „VARIO“ for glass show case	1	☐	☐	243,70	290,00
○	F040	Extension in seating bench	8	☐	☐	449,58	535,00
○	F204	Living room couch, extendable, lying area 1.950 x 1.400 mm, springy wood frame, storage for bed linen in substructure	15	☐	☐	2.605,04	3.100,00
○	F210	E-glide sliding door system for wardrobe, two large mirrored sliding doors with automatic locking, operation via button (mechanical emergency release), bedroom	20	☐	☐	5.142,86	6.120,00
○	F018	Ceiling illumination, 6 x LED spots countersunk in ceiling, dimmer	2	☐	☐	1.821,00	2.167,00
○	N006	Leather upholstery living area	20	☐	☐	5.584,03	6.645,00
○	N012	ALCANTARA® upholstery	10	☐	☐	4.726,89	5.625,00
○	F400	Interior “blackLINE“ (fittings, handles, tabs black)		☐	☐	3.670,59	4.368,00

	Code	Description	kg	1050	1200	Net price EURO	Price / EURO incl. 19 % German tax
KITCHEN							
S	F004	Kitchen counter top CORIAN® / STARON®		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
O	F024	Kitchen rear panel CORIAN® / STARON®	10	<input type="checkbox"/>	<input type="checkbox"/>	980,67	1.167,00
S		3-flames high grade steel gas cooker with integrated glass cover, automatic ignition, countersunk in counter top		<input checked="" type="checkbox"/>			
O	P001	Induction cooktop, 2 burners, 230 V, touch screen	10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1.018,49	1.212,00
S		High grade steel sink countersunk in counter top, with cover		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
O	P016	STARON sink, angular, flush	5	<input type="checkbox"/>	<input type="checkbox"/>	529,41	630,00
O	P013	FRANKE sink with drip of bowl and CORIAN® / STARON®-cover, eccentric close system	6	<input type="checkbox"/>	<input type="checkbox"/>	703,36	837,00
S		Rubbish bin with cover, flush integrated in counter top		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Bar tray made of solid wood as splash guard function between kitchen and lounge		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Hanging cupboards with flaps, shelves and push-lock-mechanism		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Drawers and pull outs on roller bearing		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Outlets 2 x 230 V		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S		Single hand control tap, chrome		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	K009	177 l refrigerator with AES, 35 l ice box, mounted behind trailing door		<input checked="" type="checkbox"/>			
O	K008	195 l Compressor refrigerator Kissmann KT210, 151 liter refrigerator, 44-liter freezer, 12 V with integrated 230 V priority circuit		<input type="checkbox"/>	<input checked="" type="checkbox"/>	0,00	0,00
O	P007	Dish washer EXQUISIT, fully integrated	30	<input type="checkbox"/>	<input type="checkbox"/>	1.896,64	2.257,00
O	P014	Dish washer Fisher / Paykel, Toploader, fully integrated	38	<input type="checkbox"/>	<input type="checkbox"/>	2.847,90	3.389,00
O	P998	MIELE Microwave / hot air oven, 2.200 W	30	<input type="checkbox"/>	<input type="checkbox"/>	3.690,76	4.392,00
O	P010	Preparation for Espresso automat niched in furniture, extension, turn around system, 230 V outlet	5	<input type="checkbox"/>	<input type="checkbox"/>	956,30	1.138,00
O	P011	Espresso automat JURA 230 V	9	<input type="checkbox"/>	<input type="checkbox"/>	1.478,15	1.759,00
O	P006	Washing machine/dryer, washer 8 kg, dryer 4 kg, 230 V / 10 A in outside storage room	88	<input type="checkbox"/>	<input type="checkbox"/>	4.200,84	4.999,00
S		Design flooring kitchen, very resistant object floor		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
O	F042	Granite / ceramics / porcelain flooring kitchen	100	<input type="checkbox"/>	<input type="checkbox"/>	5.026,05	5.981,00

Code	Description	kg	1050	1200	Net price EURO	Price / EURO incl. 19 % German tax
BATH						
S	Inside area splash water-repellent, washable coated		■	■		
S	One hand mixing tap, chrome		■	■		
S	Washstand - floor cupboard with doors		■	■		
S	Mirrored cabinet, threepart mirror, shelves		■	■		
S	Lots of bath accessories (soap dispenser, toothbrush tumbler, toilette roll holder, towel hook), outlet 230 V		■	■		
S	Design flooring bath room, very resistant object floor		■	■		
S	Porcelain water closet SEALAND		■	■		
S	Real glass quarter circle shower with single hand shower tap and water saving sprinkler chrome			■		
S	Wash stand top mineral material STARON® pure white with acryl washbasin		■	■		
S	CORIAN® / STARON® tray with chrome railing in shower		■	■		
O	J002 CORIAN® / STARON® rear panel wash stand	10	<input type="checkbox"/>	<input type="checkbox"/>	1.809,24	2.153,00
O	J006 CORIAN® / STARON® bowl custom colours / special form	5	<input type="checkbox"/>	<input type="checkbox"/>	516,81	615,00
O	J004 CORIAN® / STARON® quarter circle shower basin	10	<input type="checkbox"/>	<input type="checkbox"/>	2.462,18	2.930,00
O	J008 CORIAN® / STARON® 5-corner shower embedded into the floor, concealed drain, real glass shower door	30	<input type="checkbox"/>	<input type="checkbox"/>	7.754,62	9.228,00
O	J003 CORIAN® / STARON® wall covering in shower, console for mixing tap CORIAN® / STARON®	20	<input type="checkbox"/>	<input type="checkbox"/>	3.245,38	3.862,00
O	J032 Thermostatic mixing shower tap, chrome	1	<input type="checkbox"/>	<input type="checkbox"/>	295,80	352,00
O	J021 Granite / ceramics / porcelain stoneware flooring	100	<input type="checkbox"/>	<input type="checkbox"/>	4.977,31	5.923,00
O	J060 Bathroom walls in concrete look	30	<input type="checkbox"/>	<input type="checkbox"/>	4.125,21	4.909,00
MULTIMEDIA / INTERNET						
O	E012 QLED flat screen TV 40", 12 V, remote control, with external control module (sound system required)	15	<input type="checkbox"/>	<input type="checkbox"/>	4.197,48	4.995,00
O	E099 Electric lift, 12 V / TV 32" / 40"	15	<input type="checkbox"/>	<input type="checkbox"/>	1.044,54	1.243,00
O	E001 QLED flat screen TV 32", 230 V, remote control	30	<input type="checkbox"/>	<input type="checkbox"/>	3.725,21	4.433,00
O	E003 QLED flat screen TV 24", 12 V, remote control	15	<input type="checkbox"/>	<input type="checkbox"/>	2.322,69	2.764,00
O	E004 Satellite system CRYSTOP Autosat 2, 85 cm parabolic reflector, autolevel, control panel	30	<input type="checkbox"/>	<input type="checkbox"/>	4.671,43	5.559,00
O	E007 BlueRay-Player	3	<input type="checkbox"/>	<input type="checkbox"/>	659,66	785,00
O	E055 PIONEER radio system DAB + with CD, FM / AM UKW, MW, 4 x 50 W, 4 x speakers, roof antenna, blue tooth hands free speaking, iPod- / iPhone interface	4	<input type="checkbox"/>	<input type="checkbox"/>	1.788,23	2.128,00
O	E104 Audio- / video connection radio system with QLED flat screen	1	<input type="checkbox"/>	<input type="checkbox"/>	410,08	488,00
O	E917 Sound system with active subwoofer (4 x speakers + subwoofer)	10	<input type="checkbox"/>	<input type="checkbox"/>	1.863,87	2.218,00
O	E118 JEHNERT sound system with additional amplifier, 4 x 2-way speaker system flush with the furniture, bass reflex subwoofer, additional Bluetooth interface for music streaming via smartphone	5	<input type="checkbox"/>	<input type="checkbox"/>	4.092,44	4.870,00
O	E853 5G Router, 12 V, DUAL SIM-Slot, (5G / LTE / 3G), WIFI / GPS roof antenna	2	<input type="checkbox"/>	<input type="checkbox"/>	1.907,56	2.270,00

Code	Description	kg	1050	1200	Net price EURO	Price / EURO incl. 19 % German tax
ELECTRICS						
S	230 V external connection with feed cable, FI personal protection device		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	Battery monitor / ampere-hour meter for living area batteries		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	Automatic shutdown of the on-board power supply in the event of battery undervoltage		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	LCD VARIO control panel for monitoring the fresh / waste water, toilet tank and battery voltage of the vehicle / living area battery		<input checked="" type="checkbox"/>			
S	VARIO relay distributor with 230 V and 12 V fuse, gas / generator tank display, automatic switching from external / generator power		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	Electrical lines laid in cable ducts for easy servicing, central electrical unit with control cabinet technology terminals		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	Lighting with energy-saving LED spots, separate circuit		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	Central main battery switch in the panel for all for all extraction points		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	Mechanical main battery switch for starter batteries		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
S	E605 Mechanical main battery switch for living area batteries		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
O	E241 CTEK automatic charger 24 V / 14 A for starter batteries	4	<input type="checkbox"/>	<input type="checkbox"/>	814,28	969,00
O	E100 VARIO-CANBUS control with 7" touch monitor including smartphone control via WLAN in the vehicle, heating control, tank level display, battery capacity monitoring, inverter control, solar power display (only together with 5G / WLAN router, code E853)	5	<input type="checkbox"/>	<input type="checkbox"/>	4.749,58	5.652,00
S	Floor lighting 4 x in the floor area, changeover switch		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
O	E403 ETA lighting bus control, light control modules, light circuits dimmable, programmable	2	<input type="checkbox"/>	<input type="checkbox"/>	738,65	879,00
O	E651 Indirect LED lighting kitchen worktop	6	<input type="checkbox"/>	<input type="checkbox"/>	5.410,08	6.438,00
O	E701 Indirect LED lighting vanity top and mirror cabinet	1	<input type="checkbox"/>	<input type="checkbox"/>	384,03	457,00
O	E702 Indirect LED lighting for head end of rear bed together with wooden panel and rear bed frame. Can be switched individually.	1	<input type="checkbox"/>	<input type="checkbox"/>	494,96	589,00
O	E703 Indirect LED lighting living room wall cupboards < 950	4	<input type="checkbox"/>	<input type="checkbox"/>	757,98	902,00
O	E705 Indirect LED lighting living room wall cupboards	20	<input type="checkbox"/>	<input type="checkbox"/>	3.432,77	4.085,00
S	Several outlets, 12 / 230 V		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
O	E600 Outlet 230 V additional	1	<input type="checkbox"/>	<input type="checkbox"/>	173,11	206,00
O	E601 Outlet 12 V additional	1	<input type="checkbox"/>	<input type="checkbox"/>	173,11	206,00
O	E602 Double outlet 230 V in garage for e-bikes	1	<input type="checkbox"/>	<input type="checkbox"/>	173,11	206,00
O	E603 Outlet 24V, switched over ignition, front windshield / toll device	1	<input type="checkbox"/>	<input type="checkbox"/>	196,64	234,00
O	E606 USB-C/A Power-double socket 5 V / 3,6 A	1	<input type="checkbox"/>	<input type="checkbox"/>	226,89	270,00
O	E609 Wireless Smartphone Charger, inductive charging of a smartphone, integrated invisibly in the furniture	1	<input type="checkbox"/>	<input type="checkbox"/>	365,55	435,00
O	E275 VICTRON Quattro 5000 charger / sine wave inverter - combination, charging capacity 12 V / max. 220 A, external power connection adjustable from 4 - 16 A, sine wave inverter with 12 - 230 V / 5,000 VA, Touch GX 50 panel, including 3 x lithium batteries LiPo 12.8 V / 300 Ah, tempered (total capacity 900 Ah)	150	<input type="checkbox"/>		20.970,59	24.955,00
O	E277 VICTRON Quattro 5000 charger / sine wave inverter - combination, charging capacity 12 V / max. 220 A, External power connection adjustable from 4 - 16 A, sine wave inverter with 12 - 230 V / 5000 VA, Touch GX 50 panel, including 4 x lithium batteries LiPo 12.8 V / 300 Ah, tempered (total capacity 1,200 Ah)	180	<input type="checkbox"/>	<input type="checkbox"/>	24.463,87	29.112,00
O	E278 VICTRON Quattro 5000 charger / sine inverter combination, loading capacity 12 V / max. 220 A, external power connection adjustable 4 - 16 A, sinus inverter with 12 - 230 VA / 5000 VA, GX 50 touch panel, 6 x lithium battery LiPo 12,8 V / 300 Ah, tempered (total capacity 1800 Ah)	260	<input type="checkbox"/>	<input type="checkbox"/>	31.428,57	37.400,00
O	E311 Charging current increase while driving up to 24 -> 14 V / 70 A, with 24 V chassis	2	<input type="checkbox"/>	<input type="checkbox"/>	768,91	915,00
O	E312 Charging current increase while driving up to 24 -> 14 V / 140 A, with 24 V chassis (MB Actros)	3	<input type="checkbox"/>	<input type="checkbox"/>	1.793,28	2.134,00
O	E313 Second power supply with FI circuit breaker 230 V / 16 A with switch circuit 1-2, CEE connection cable	5	<input type="checkbox"/>	<input type="checkbox"/>	2.781,51	3.310,00

	Code	Description	kg	1050	1200	Net price EURO	Price / EURO incl. 19 % German tax
SOLAR							
<input type="radio"/>	E235	Solar panels 760 W (total capacity), charge controller	75	<input type="checkbox"/>	<input type="checkbox"/>	7.535,29	8.967,00
<input type="radio"/>	E237	Solar panels 1.140 W (total capacity), charge controller	110	<input type="checkbox"/>	<input type="checkbox"/>	11.792,44	14.033,00
<input type="radio"/>	E239	Solar panels 1.520 W (total capacity), charge controller	140	<input type="checkbox"/>	<input type="checkbox"/>	14.130,25	16.815,00
<input type="radio"/>	E240	Solar panels 1.710 W (total capacity), charge controller	155	<input type="checkbox"/>	<input type="checkbox"/>	15.300,00	18.207,00
GENERATOR							
<input type="radio"/>	G009	ONAN diesel generator, 4.8 kW (29°C), STAGE V, 230 V, 2,880 rpm, 2 x cylinder KUBOTA diesel engine, water-cooled, in soundproof box with integrated cooler/fan unit and exhaust system, control panel, generator in insulated external storage space assembled.	220	<input type="checkbox"/>	<input type="checkbox"/>	19.207,56	22.857,00
<input type="radio"/>	G020	Fuel cell EFOY pro 2800, 12 V / 125 W inclusive 10 l methanol fuel cartridge	22	<input type="checkbox"/>	<input type="checkbox"/>	auf Anfrage	
AIR CONDITION							
<input type="radio"/>	E902	Roof air conditioner DOMETIC FreshJet 3500, 230 V, cooling capacity 3,500 W, remote control	40	<input type="checkbox"/>	<input type="checkbox"/>	4.324,37	5.146,00
<input type="radio"/>	E906	SPLIT air conditioning VARIO Cool, 230 V, cooling capacity approx. 1,900 W, evaporator integrated in furniture construction, compressor / underfloor condenser unit in stainless steel housing, remote control (bedroom)	75	<input type="checkbox"/>	<input type="checkbox"/>	11.772,27	14.009,00
<input type="radio"/>	E907	SPLIT VARIO Cool Twin air conditioner, 230 V, cooling capacity approx. 3,600 W, evaporator integrated in furniture construction, twin compressor/condenser unit installed underfloor in stainless steel housing, remote control (living room)	100	<input type="checkbox"/>	<input type="checkbox"/>	20.541,18	24.444,00
SCOOTER GARAGE / PASSENGER CAR GARAGE							
<input type="radio"/>	R201	THULE VELO slide, E-bike rack for 2 bicycles, extendable	23	<input type="checkbox"/>	<input type="checkbox"/>	1.202,52	1.431,00
<input type="radio"/>	R204	Installation scooter, included rack and ramp	20	<input type="checkbox"/>	<input type="checkbox"/>	1.889,92	2.249,00
<input type="radio"/>	X101	Rear flap for rear end garage, partial movable rear panel and rear bumper	150	<input type="checkbox"/>	<input checked="" type="checkbox"/>	15.610,92	18.577,00
<input type="radio"/>	X102	Electrically operated sliding platform for small cars with automatic centering of the car on the platform, load capacity up to 1,000 kg (SMART)	250	<input type="checkbox"/>	<input type="checkbox"/>	22.978,99	27.345,00
<input type="radio"/>	X103	Electric sliding platform for automatic car retraction, load capacity approx. 1,300 kg (Mini, Fiat 500, Abarth 595, Toyota Aigo, VW up)	400	<input type="checkbox"/>	<input type="checkbox"/>	29.820,17	35.486,00
<input type="radio"/>	X104	Hydraulic sliding platform for automatic car retraction, load capacity approx. 1,700 kg (Porsche, Mercedes-Benz)	580	<input type="checkbox"/>	<input type="checkbox"/>	45.673,95	54.352,00
<input type="radio"/>	X105	Tailgate / car garage hydraulic operating and remote control, hiding inside hinges	70	<input type="checkbox"/>	<input type="checkbox"/>	14.144,54	16.832,00
<input type="radio"/>	X110	Mobile charging station for e-cars in the car garage, type 2 connection, 1,4 – 22 kW adjustable, 230 V socket (various connection plugs)	5	<input type="checkbox"/>	<input type="checkbox"/>	1.773,11	2.110,00
GAS							
<input type="checkbox"/>		Gas bottle box for 2 x 11 kg bottles, TRUMA DuoControl safety control with distance control monitoring Duo C and ice-ex		<input checked="" type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>	B011	Motorhome without gas system (no 116 l gas tank / gas cylinder box), therefore 160 l diesel tank in the heated underfloor storage space, emergency switching to vehicle diesel tank with 3-way valve (only together with H200 / H 201)		<input type="checkbox"/>	<input checked="" type="checkbox"/>		
<input type="checkbox"/>	B010	Extension for 2 x 11 kg gas bottles (easy operating system)		<input checked="" type="checkbox"/>	<input type="checkbox"/>		
<input type="radio"/>	B003	Gas tank 110 l Eis-Ex (80% fillable), safety regulator, remote display, remote filling	100	<input type="checkbox"/>	<input type="checkbox"/>	4.928,57	5.865,00
<input type="radio"/>	B005	Gas extraction valve under outside storage compartment	2	<input type="checkbox"/>	<input type="checkbox"/>	364,71	434,00
<input type="radio"/>	B006	Gas remote switch for gas bottle system	1	<input type="checkbox"/>	<input type="checkbox"/>	315,13	375,00
<input type="radio"/>	Z007	2 x bottles grey per 11 kg, filled	48	<input type="checkbox"/>	<input type="checkbox"/>	268,91	320,00

Code	Description	kg	1050	1200	Net price EURO	Price / EURO incl. 19 % German tax
HEATING						
S	Engine heat exchanger for heating the living area with waste heat from the engine		■	■		
S	„ALDE Compact 3030“ hot water gas central heating with wall convectors, additional windscreen heating and exterior storage space heating as well as integrated hot water boiler 10 l, heating output propane 5,500 W / butane 6,400 W, electric heating cartridge 230 V - 1,050 / 2,100 W, thermostatic control, engine heat exchanger		■			
O	H205 Hot water diesel heater SCHEER MH 10/17 blue efficiency Two-stage Blue efficiency, heating output 10,000 W / 17,000 W, low-temperature diesel heater with blue burner technology and automatic altitude correction adjustment up to an altitude of 3,000 m, combustion at approx. 1,450° C for maximum reduction of exhaust gases, 100% soot-free, efficiency approx. 93%, integrated plate heat exchanger for hot water preparation, 3-room control with separate room thermostats, wall convectors in all rooms, controlled underfloor heating in the living room / kitchen and bathroom, heating of the insulated underfloor storage rooms (except for the car garage), heating of the windscreen via convectors, electric heating element 230 V/1,000 -2,000 W, engine heat exchanger for heating while driving, separate 160 l diesel tank in heated underfloor storage compartment, fuel filler flap, emergency switchover to vehicle tank (2-way valve), no gas system	140	☐	■	30.257,98	36.007,00
O	H016 Towel dryer bathroom white, temperature controller	10	☐	☐	668,07	795,00
O	H005 Floor heating system in living area with thermostatic steering in gangway and under bar table	25	☐	■	2.620,17	3.118,00
O	H004 Underfloor heating in the bathroom area	6	☐	■	1.628,57	1.938,00
O	H006 Bedroom heating with separate room thermostat, controllable	6	☐		947,90	1.128,00
O	H009 WEBASTO Thermo Pro 90 hot water diesel heater integrated in the hot water heating circuit, heat output 9,000 / 7,200 W, modulating burner, thermostatic control (for winter operation)	15	☐	☐	6.670,59	7.938,00
O	H011 Bathroom heating with room thermostat, individual room control	15	☐	■	2.725,21	3.243,00
O	H012 Bedroom heating with room thermostat, individual room control	15	☐	■	2.725,21	3.243,00
WATER SUPPLY						
S	Fresh water tank in the insulated and heated double floor, quick drain valve		■	■		
S	Fresh water tank, capacity 450 l		■			
S	Fresh water tank, capacity 500 l			■		
S	Grey water tank in the insulated and heated double floor, drain slide in the heated interior		■	■		
S	Grey water tank, volume 350 l		■			
S	Grey water tank, capacity 400 l			■		
S	Toilet tank in the insulated and heated double floor, emptying slide in the heated interior		■	■		
S	Toilet tank, capacity 250 l		■			
S	Toilet tank, capacity 300 l			■		
S	Water system with powerful pressure water pump 11 l/min and expansion tank		■	■		
S	Quick drain valves / entire water system (winter drain)		■	■		
S	Central disposal outlet with 3" bayonet connection for waste water/toilet tank		■	■		
S	Disposal hose, extendable, housed in a separate container		■	■		
S	Fresh water tank filling with GARDENA® - connection in storage compartment		■	■		
O	W104 City water connection with pressure reducer	2	☐	☐	854,62	1.017,00
O	W201 drinking water treatment plant	4	☐	☐	511,76	609,00
O	W202 SEAGULL - drinking water treatment plant	6	☐	☐	1.675,63	1.994,00
O	W400 Toilet tank flushing (connection between waste water / toilet tank with slider)	3	☐	☐	696,64	829,00
O	W401 Additional waste water hose 3" / 3 m with bayonet connection, container	6	☐	☐	256,30	305,00
O	W402 12 V macerator pump with bayonet connection, 12 V socket	10	☐	☐	2.449,58	2.915,00
O	W403 Collapsible hose set with bayonet connection 20 + 20 + 10 m, white, in transport box for macerator pump	10	☐	☐	517,65	616,00

	Code	Description	kg	1050	1200	Net price EURO	Price / EURO incl. 19 % German tax
EXTERIOR DESIGN / PAINTWORK / EXTERIOR WALLS							
S		High-quality painting of the entire vehicle in 2-components - car paint uni white, roof gelcoat surface white		■	■		
S		Elegant color stripe design		■	■		
	L014	Exterieur „BlackLINE“, black rims (6)	0	<input type="checkbox"/>		4.500,00	5.355,00
	L015	Exterieur „BlackLINE“, black rims (8)	0	<input type="checkbox"/>		4.900,00	5.831,00
	L016	Exterieur „BlackLINE“, black painted exhaust tips, licence plate panel and light surrounds	0	<input type="checkbox"/>	<input type="checkbox"/>	600,00	714,00
	L105	Painting metallic, two-layer coating with clear lacquer	50	<input type="checkbox"/>	<input type="checkbox"/>	14.148,74	16.837,00
MISCELLANEOUS							
		Individual construction, compilation / sampling of the interior and the exterior design according to customer requirements		■	■		
S		100% custom build. Every VARIOmobil is an exquisite one-off.		■	■		
	Y001	TÜV inspection, EC certificate		<input type="checkbox"/>	<input type="checkbox"/>	945,38	1.125,00
	Z001	Ultrasonic alarm system with door / storage compartment contacts, remote control	4	<input type="checkbox"/>	<input type="checkbox"/>	2.255,46	2.684,00
	Z002	Code lock for front door / alarm system	1	<input type="checkbox"/>	<input type="checkbox"/>	947,90	1.128,00
	Z003	Service package, 2 x 20 m GARDENA folding hose, Euro gas tank adapter, Euro gas bottle adapter	6	<input type="checkbox"/>	<input type="checkbox"/>	503,36	599,00
	Z004	"K.O." - Gas warning device in the bedroom	1	<input type="checkbox"/>	<input type="checkbox"/>	431,09	513,00
	Z014	Fire extinguisher 2 kg	3	<input type="checkbox"/>	<input type="checkbox"/>	232,77	277,00

HIGH END MOTORHOMES. INDIVIDUAL BUSINESS VEHICLES. CUSTOM MADE IN GERMANY. BE MOBILE WORLDWIDE.



An Teckners Tannen 1
49163 BOHMTE / GERMANY

Phone ++49 5471 - 95 11 - 0
Service ++49 5471 - 95 11 - 40
Fax ++49 5471 - 95 11 - 59
M@il info@vario-mobil.com
Welcome! www.vario-mobil.com



VARIOmobil does not represent or warrant that its motorhomes can lawfully be operated on all roads or in all states. Laws restricting the length, width, and/or weight of vehicles vary from state to state. It is the responsibility of each prospective purchaser of a motorhome to determine any limitations or restrictions on the use of the motorhome in the states in which the purchaser intends to use it. Due to constant product improvement, styling, design, equipment and construction are subject to change without notice or obligation. We reserve the right to make changes, but are happy to verify any item on request. Some items featured may be optional.

08 | 2024. Mistakes and modifications possible.